
Data Book 1969












~			
·			





Timbassador















TABLE OF CONTENTS

Ne	ew Features	Page
-	Product Highlights New Exterior and Interior Styling Features	1,2 3-5
-	New Chassis and Mechanical Features and Chassis and Mechanical Changes	6
-	New Optional Equipment and Optional Equipment Changes	6
-	Model and Series Availability	7
-	New Safety Features	7
19	969 Product	
-	Standard Safety Features	8,9
_	Series Features and Differentials	10-17
_	Retained Standard Features	18,19
-	Engine, Transmission and Rear Axle Availability	20
-	Tire Availability	21
_	Factory-Installed Options	22-25
-	Dealer-Installed Options and Accessories	26,27
-	Exterior Colors, Vinyl Roofs, Two-Tone Combinations and Interior Trim Selections	28-30
_	Dimensions	31-34
-	Competition	35

1969 AMBASSADOR Product Highlights

The 1969 Ambassador has the longest wheelbase ever produced by American Motors. The new length is found both in wheelbase (now 122", was 118") and overall length. The 4-door sedan and hardtop become 206.5" in overall length with the station wagons at 207". This new Ambassador wheelbase is expected to be at least 1" longer than that of the Chevrolet, Fury (except the Fury station wagon which may be longer) and Ford. The entire SST series features exterior wood-grain trim. A new SST wagon is offered with standard wood-grain side and rear paneling. Also, the SST 4-door sedan and station wagon feature a full body side wood-grain trim strip.

The new series lineup features this wagon.

Ambassador Series:

4-Door Sedan 6985-2

Ambassador DPL Series:

4-Door Sedan	6985 - 5
4-Door Station Wagon	6988-5
2-Door Hardtop	6989-5

Ambassador SST Series:

4-Door Sedan	6985-7
4-Door Station Wagon	6988-7
2-Door Hardtop	

The all-new front end sheet metal, grille, and bumper with new deck lid, tail lamps, and rear quarter panel end caps produce an entirely new appearance from all angles. This achieves the differences necessary to establish the Ambassador as an all-out entry into the "big-car" market. The entire line boasts a new, higher-capacity air-conditioning system as standard equipment. The delete option on air conditioning is still available. However, if air conditioning is deleted, the "Command Air" ventilation system is automatically substituted. This system utilizes all the air-conditioning outlets with a high-capacity, three-speed blower motor. The high-line identity is reinforced by the new custom velour interior trim options in the SST 4-door sedan and by the new wood-grain SST wagon. All Ambassador (and Rebel) wagons feature the new Dual-Swing tailgate as standard equipment. Also, all Ambassador two-seat wagons incorporate a new, larger underfloor storage compartment.

The "big-car" identity is further established through the new standard engine for the Ambassador and Ambassador DPL, the Torque-Command 232 CID, 155 HP engine with two-barrel carburetor. The SST maintains the Typhoon V-8 290 CID, 200 HP engine. However, this series now becomes standard with automatic transmission.


The instrument panels are all new and incorporate a new passenger side air-conditioner air outlet. The all-new trim styles include new color-keyed Avocado and Yellow interiors. All the new door trim panels provide a more luxurious appearance through the use of new, deeper dielectric patterns.


All the 1968 SAFE-COMMAND safety features are carried into 1969. Further new features are added to continue American Motors' traditional policy of vehicle safety.

A detailed description of the new Ambassador for 1969 follows.

1969 Ambassador

New Exterior Styling Features





New

1969 AMBASSÁDOR New Exterior Styling Features

NEW - front end sheet metal

NEW - sculptured hood

NEW - front fenders

NEW - injection-molded plastic (ABS) grille with stainless steel overlay and horizontal headlights

NEW - rear sheet metal

NEW - deck lid

NEW - rear quarter end caps incorporating Ambassador emblem

NEW - tail lamps incorporating back-up lights

NEW - rear side marker lights

NEW - Dual-Swing tailgate standard on all station wagons

NEW - SST station wagon with standard wood-grain side and rear paneling


NEW - 12 exterior colors (plus two carryover colors - Matador Red and Frost White) for DPL & SST. 9 NEW, plus 2 carryover for base series

NEW - paint treatment on wheel covers and hub caps

1969 Ambassador

New Interior Styling Features

New-Instrument Panel:



New

• seat trim styles, colors and fabrics • door trim panel patterns with new deeper padded appearance • instrument panel with padded eyebrow • air-conditioning outlets (new outlet on passenger side) • optional custom velour seat trim on SST 4-door sedan • 100% nylon cut-pile carpet

New Chassis And Mechanical Features

- NEW wheelbase, 122.0", and overall length, 206.5" (207.0"-wagons).

 Provides better weight balance under loaded conditions. This along with other factors of increased length and weight will provide a quieter and smoother ride
- NEW wider track, 60.0", front and rear. Provides better stability and a wider stance
- NEW high-capacity air-conditioning system. Faster initial cooling to lower interior temperatures with more air movement capacity
- NEW "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace
- NEW "Clear-Power 24" battery with transparent, light-weight polypropylene case
- NEW standard six-cylinder engine, 232 CID, 155 HP, 2-barrel torque-command six, on Ambassador (base) and DPL V-8 remains standard on SST
- NEW suspended accelerator pedal
- NEW steering linkage geometry for improved handling
- NEW rear suspension geometry for more stablized ride and reduced vibration
- NEW front motor mounts of butyl rubber for reduced vibration
- NEW 6" rim width wheels become standard on station wagons only
- NEW longer upper control arm bushings for softer and quieter ride
- NEW 55-amp alternator standard with "All-Season" air conditioning

Chassis And Mechanical Changes

The secondary (outer) door seals are removed on all 4-door models

New Optional Equipment

- NEW custom velour seat trim available in Blue or Platinum, SST 4-door sedan only. Includes full body side, stainless steel trim insert in place of standard wood-grain insert
- NEW F78 x 14 wide aspect, fiberglass-belted ("Polyglas") white wall tires (standard white wall tires remain optional)
- $\overline{\text{NEW}}$ 14" wheel with 6" rims (standard on wagons) available on all V-8's

Optional Equipment Changes

Delete option on air-conditioning is still available. However, now if it is exercised, "Command Air" ventilation is automatically substituted. This system uses all the A/C outlets and duct assemblies and a high-capacity, three-speed blower motor

Tachometer dropped

4-speed manual floor-mounted transmission no longer available

Overdrive transmission no longer available

All V-8 engines available with automatic transmissions only

Wood-grain side paneling no longer optional on DPL--replaced by SST station wagon which features wood-grain side and rear paneling as standard

Exterior pin stripe--now available on all models

Three-speed electric windshield wipers (was variable speed)

1969 AMBASSADOR Model Availability

Body Styles	Ambassador (Base)	Ambassador DPL	Ambassador SST	Total
4-Door Sedans	6985-2	6985-5	6985-7	3
2-Door Hardtops		6989-5	6989-7	2
4-Door Station Wagons		6988-5	6988-7	2
Total	<u>1</u>	<u>3</u>	<u>3</u>	7

1968 Models Discontinued - Ambassador (Base) Hardtop

1969 Models Added - SST 4-Door Station Wagon, 6988-7, features wood grain side and rear paneling standard

New Safety Features

Redesigned adjustable headrests

Increased depth of new instrument panel crash pad eyebrow to eliminate reflections

Relocation of ignition switch to reduce knee impact hazard

Redesigned radio push buttons for larger corner radii to reduce head impact hazard

Air-conditioning outlets protected by crash pad eyebrow

"SAFE-COMMAND" Safety Features (Standard unless otherwise noted)

Construction

Energy absorbing front end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Molded ceilings
Padded instrument panel
Break-away front ash receivers
Recessed rear ash receiver
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double-safety brake system with self-adjusting feature Brake system warning light Mechanical stoplight switch Corrosion-resistant brake lines and fittings Safety-rim wheels Tread-wear indicators molded in tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts

Rear shoulder-belt anchors installed

Safety-seat and shoulder-belt anchorages

Safety-seat anchorages

Automatic lock with manual release folding front seats on 2-door models

Folding rear-seat-back latches for wagons

Front seat headrests

Padded front seat back

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Locks and Door Handles

High-strength door locks
"Pre-Set-Impulse" front door locking system
Safety-shaped interior door handles
Flush-contoured outside door handles
Two key locking system

Accessories and Equipment

4-way hazard warning signals

Lane changer feature for turn signals

Safety vanity mirror (opt.)

Automatic back-up lights

Shift-command for automatic or manual operation on automatic transmission (opt. Day/Night inside rearview mirror with twin pivots and protected edges

Rearview mirror, exterior, left side

Windshield washers - manual (electric opt.)

Non-glare windshield wipers

Vacuum power booster windshield wiper motors (electrical opt.)

Defrosters and defoggers

Side-of-Car safety markers, front and rear


"Guard-Glo" head lamps

Parking lights illuminated with headlights

1969 Ambassador

Series Features


Ambassador (Base):



11 Exterior colors offered (Alamosa Aqua, Cordoba Dark Brown and Bittersweet Orange not offered)

Interior:

Instrument panel



Ambassador Features

Exterior:

Bright drip-rail moldings

Bright windshield and rear window reveal moldings

Bright full-length lower body side moldings with partial wheel opening moldings

11 exterior paint colors (9 NEW)

Ambassador crests of rear quarter end caps (except station wagon) and on "C" pillars

Ambassador name in block letters across front of hood and across lower deck opening panel between tail lamps

Ambassador script on both rear quarter panels

Paint stripe on upper body side available optionally

Interior:

232-2V, 155 HP six-cylinder engine standard

Air conditioning standard

Custom steering wheel standard

Front and rear armrests standard

Cut-pile carpet

Unique door trim panels with bright molding and Ambassador nameplate Unique seat trim patterns


Cigarette lighter and glove box lock standard

Front door dome or "C" pillar light switches standard

1969 **Ambassador**

Series Features


Ambassador DPL:



14 Exterior colors offered

Interior:

Instrument Panel



New

• unique door trim panels with wood-grain applique and seat designs • unique seat trim designs • "Trafalgar" pattern cloth seat trim

Optional vinyl seat trim-"Ventilair" (breathable)-standard on wagons

Series Differentials

Ambassador DPL Over Ambassador

Exterior:

Double lower body side bright trim strips separated by body color
Bright lower window opening moldings
Wheel discs standard
DPL letters on "C" pillar
Three extra exterior colors available (Alamosa Aqua, Cordoba Brown and Bittersweet Orange)

Interior:


Unique door trim panels with wood-grain applique and DPL nameplate
Instrument panel wood-grain applique in light switch, cigarette lighter,
etc., control area
Bright pedal moldings
Unique seat trim patterns and materials

1969 Ambassador

Series Features


Ambassador SST:

Exterior:



Interior:

Instrument Panel:



New

• unique door trim panels with wood-grain applique • seat trim designs • custom velour seat trim offered optionally on 4-door sedan ("Custom" nameplate on front door trim panel) • "Aragon" pattern cloth seat trim

Optional vinyl seat trim-"Ventilair" (breathable)-standard on wagons

Series Differentials

Ambassador SST Over Ambassador DPL

Exterior:

Double lower body side bright trim strips separated by a <u>NEW</u> wood-grain trim panel

Simulated wall-to-wall tail lamps (except wagon)

SST letters on "C" pillar

Interior:

290-2V, 200 HP engine standard

Full-width instrument panel wood-grain applique

Unique door trim panel with wood-grain applique and SST nameplate

Glove box light, parking brake warning light, rear door dome or "C" pillar light switch, clock standard, trunk light, ash receiver light, and lights-on warning buzzer

Individual reclining seats standard

Bucket seats available optionally on hardtop

NEW - "Custom" velour seat trim available optionally on 4-door sedan with "Custom" trim. Stainless steel trim strip replaces wood-grain exterior trim strip

Unique seat trim patterns and cloth materials ("Ventilair" vinyl is common with DPL)

1969 Ambassador


Series Features

Ambassador Wagons:

DPL:

New

• Dual-Swing tailgate standard • larger underfloor storage area on two seat wagons (8.0 cubic feet, was 3.5 cubic feet) • 6" rim width wheel standard (8.25 x 14 tires retained as standard) • Bright tailgate trim panel • "Ventilair" is standard seat trim



SST:

Same as DPL except as follows: Same exterior and interior trim level as SST 4-door sedan and SST hardtop except that wood-grain side and rear paneling (as shown) replaces bright trim below beltline

1969 AMBASSADOR Ambassador Wagon Features

Ambassador DPL:

NEW - Dual-Swing tailgate

NEW - bigger, lockable underfloor storage areas

NEW - 6" rim width wheel standard (8.25 x 14 tires retained as standard)

Luggage rack continues as standard

Crank-operated tailgate window (electric optional)

Carpeted cargo area

Spare tire now mounted vertically in all wagons

Third seat option

Wood-grain side paneling is no longer available optionally

"Ventilair" breathable vinyl seat trim (cloth trimmed individually reclining seats available optionally)

Series Differential Ambassador SST Over DPL

All standard differential items of SST series over DPL series Wood-grain side and tailgate paneling standard Cloth seat trim available as a no cost option Rub strips for cargo floor

1969 AMBASSADOR Retained Standard Features

Body:

All-welded, single-unit body construction (safe, strong, durable) ("Advanced Unit Construction") Deep-Dip body rustproofing All-Season air conditioning Weather-Eve heater Fresh-air ventilation Air-intake guard screen Triple-coated Lustre-Gard acrylic enamel (14 colors) Molded cushioned acoustical ceiling Curved side glass Injection-molded (ABS) grille Two-position front door checks Front and rear armrests Cigarette lighter Front ash receivers Rear ash receivers Full-width carpeting Coil-spring seat construction (solid foam for wagon third seat) Front seat foam cushion (rear seat foam cushion in SST hardtop) Extruded aluminum door window frames on all 4-door models Neoprene door seals on all hardtops Dome or side pillar lights Station wagon roof-top travel rack Glove box lock Hidden compartment with lock for station wagons Two coat hooks

Retained Standard Features (cont.)

Mechanical:

Coil springs at all four wheels Direct-action, independent front suspension with sway bar Four-link, trailing arm rear suspension Hypoid gear rear axle Self-adjusting brakes with bonded linings Brake diameter 10"; lining area 167.5 square inches Standard 4-ply-rating, 2-ply tires; 7.75×14 for V-8's, 8.25×14 for all wagons. NEW - 7.75 x 14 for sixes, was 7.35 x 14 Engine-oil filter, full flow Fuel-tank approximate capacity, 21.5 gallons (19 for wagons) Fuel filters in tank and at carburetor (NEW - in line filter just ahead of carburetor-was in fuel pump) All-Season engine coolant Anti-smog positive crankcase vent "Engine-Mod" exhaust emission control system Automatic choke Wheel discs standard on DPL and SST

Electrical:

Dual horns

Standard 35-amp electronic alternator and sealed transistorized voltage regulator (40-amp with air conditioning)

NEW - "Clear-Power 24" Intercell Battery (was Power-Guard); 50-amp standard on Sixes and "290" V-8's, 60-amp standard on "343" and "390", 70-amp optional

Dual head lamps

Engine, Transmission and Rear Axle Availability

Engine	Transmission	Rear Axle	
155 HP Torque-Command 232 CID Six Standard on All Except SST	3-Speed Manual; Column (std.) Shift-Command; Column (opt.)	Std. 3.15:1 3.15:1	Opt.***
200 HP Typhoon V-8 290 CID Standard on SST Optional on All Others	Shift-Command; Column (opt.) Shift-Command; Console* (opt.)	2.87:1 2.87:1	3.15:1 3.15:1
235 HP Typhoon V-8 343 CID Optional on All	Shift-Command; Column (opt.)	2.87:1	3.15:1
280 HP Typhoon V-8 343 CID Optional on All	Shift-Command; Column (opt.) Shift-Command; Console* (opt.)	2.87:1 2.87:1	3.15:1 3.15:1
315 HP AMX V-8 390 CID ** Optional on SST Only	Shift-Command; Column (opt.) Shift-Command; Console* (opt.)	2.87:1 2.87:1	3.15:1 3.15:1

^{*}Available only on SST hardtop with bucket seats

^{**}Dual exhaust standard (available optionally on 280 HP 343 CID engine)

^{***}Available at no extra cost

⁺ Also 3.73:1, 3.91:1, 4.10:1, 4.44:1, and 5.00:1 available as extra cost DEALER-INSTALLED options for V-8

Tire Availability

	AMBASSA	DOR SIX	AMBASSA	DOR V-8
TIRE SIZES	Sedans Hardtops	Station Wagons	Sedans <u>Hardtops</u>	Station Wagons
7.75 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) Black	STD	NA	STD	NA
7.75 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) White	OPT	NA	ОРТ	NA
7.75 x 14, 8-Ply Rated 4-Ply Rayon (or Vytacord) Black & White	OPT	NA	OPT	NA
8.25 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) Black (With 6" Rim Width Wheels)	OPT	STD	OPT	STD
8.25 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) White (With 6" Rim Width Wheels)	OPT	OPT	OPT	OPT
8.25 x 14, 8-Ply Rated 4-Ply Rayon (or Vytacord) Black & White (With 6" Rim Width Wheels)	OPT	OPT	OPT	OPT
F78 x 14, 4-Ply Rated 2-Ply Fiberglass-Belted "Polyglas" (Wide Aspect, Extra Per- formance White Wall)	OPT	NA	OPT	NA

1969 AMBASSADOR Factory-Installed Options

Symbols:

E - Extra Cost NA - Not Available STD - Standard

D - Delete Option

Paint and Upholstery:	Code	Base	DPL	SST
Two-Tone Paint Special Application of AM Colors (covers two-	-1-	E	E	E
tone combinations not offered; paint colors not offered in a given line) All Vinyl Seat Upholstery	-	E	E	E
(standard on station wagons) All Vinyl Seat Upholstery for Individual Seats		E	E	NA
Only (standard on SST station wagon) Vinyl Covered Roof - Black, Off-White, Blue	BKV	NA	NA	NA
(sedan and hardtop)	WHV BUV	NA	E	E
Engines:				
232 CID, 155 HP Torque-Command Six (2-barrel carburetor) 290 CID, 200 HP Typhoon V-8	155	STD	STD	NA
(2-barrel carburetor) 343 CID, 235 HP Typhoon V-8	200	E	E	STD
(2-barrel carburetor) 343 CID, 280 HP Typhoon V-8	235	E	E	E
(4-barrel carburetor) 390 CID, 315 HP AMX V-8	280	E	E	E
(4-barrel carburetor)	315	NA	NA	E
Dual Exhaust for 343 CID, 280 HP engine (standard on 390 CID engine)	DE	E	E	E
Performance Items:				
Twin-Grip Differential	TGD	E	E	E
Transmissions:				
Shift Command, Column Shift Six-Cylinder 290 CID V-8 343 CID V-8 390 CID V-8 Shift Command, Floor Shift with Console (with	A	E E E NA	E E NA	NA E E E
V-8 & bucket seats only; not available with 343 CID, 235 HP engine)	С	NA	NA	E
5 ,	_	7 47 7	1177	ىد

FACTORY-INSTALLED OPTIONS (cont.)

	Code	Base	DPL	SST
Power Assists:				
Power Steering (recommended with air				
conditioning)	PS	E	E	$\mathbf E$
Power Brakes	PB	E	$\mathbf E$	$\mathbf E$
Power Disc Brakes (V-8 only)	PD	E	E	$\mathbf E$
Power Lift Windows				
Side Windows	PW4	NA	E	$\mathbf E$
Tailgate Only	PW1	NA	$\mathbf E$	$\mathbf E$
Side Windows and Tailgate	PW5	NA	E	E
Cruise-Command Automatic Speed Control				
System (V-8 only)	ASC	E	E	E
Seating Items:				
		_	-	C.T.D.
Individually Adjustable Reclining Seats	1S	E	E	STD
Reclining Bucket Seats (hardtop only) *	SB	NA	NA	\mathbf{E}
Reclining Bucket Seats with Front Armrest	an.	27.4	27.4	-
and Center Cushion (hardtop only)	SBA	NA	NA	E
Third Seat, Station Wagon (includes power			_	
rear window and two seat belts)	TS	NA	E	E
Radios and Tape Equipment:				
AM Push Button Radio	RP	E	E	E
AM-FM Push Button Radio	RFM	E	${f E}$	E
Stereo 8 Tape Player with Two Rear-Mounted				
Speakers (r-door sedans and hardtops only)	STD	$\mathbf E$	E	E
Duo-Coustic Rear Speaker (available with radio				
only on sedans and hardtops)	DCS	E	E	E
Appearance Items:				
E Anni de Dai de Cani de ANA CCE CANA	EDC	-	Т.	Te*
Exterior Paint Stripe (NA SST S/W)	EPS	E	E	E
Sports Steering Wheel	SSW	E	E	E
Wheel Discs	WD	E	STD	STD
Turbo-Cast Wheel Covers	TC	E	E	E
Wire Wheel Covers	WC	E	E	E
Bumper Guards - Front and Rear (not available	DC4	E	E	177
on wagons)	BG4	E	E	E
Bumper Guards - Front only (wagons only)	BG2	NA	E	E
Wood-Grain Paneling, Side and Rear - Wagons	WO	ħT A	INT A	STD
Only (not available with two-tone paint)	WO	NA	NA	SID

^{*} Available with console shift only

FACTORY-INSTALLED OPTIONS (cont.)

FACTORY-INSTALLED OPTIONS (cont.)				
	Code	Base	\mathtt{DPL}	SST
Heating and Air Conditioning:				
All-Season Air Conditioning (includes heavy				
duty enging cooling system and 55-amp				
alternator)	AC	\mathtt{STD}	\mathtt{STD}	STD
All-Season Air Conditioning System Deletion	CA	D	D	D
("Command Air" ventilation is substituted)		•		
Solex Glass - Windshield Only	SG	${f E}$	$\mathbf E$	$\mathbf E$
Solex Glass - All Windows (recommended with				
air conditioning)	SW	E	E	E
Convenience Groups and Items:				
Visibility Group (includes remote-control left				
outside mirror, visor-vanity mirror, electric				
three-speed windshield wipers and electric				
washers)	V·G	NA	NA	E
Visibility Group (includes remote-control left	٧۵	1423	1423	
outside mirror, clock, visor vanity mirror,				
electric three-speed windshield wipers				
and electric washers)	VG	E	E	NA
Light Group (includes trunk or cargo light,	٧٩		1	1423
two courtesy lights, glove box light, ash				
receiver light, parking brake warning light,				
lights-on warning buzzer and rear door				
dome light switches)	LG	E	E	STD
Adjust-O-Tilt Steering Wheel (not available		_		
with manual column shift)	ASW	E	E	E
Heavy-Duty Equipment:				
Handling Package, 6-Cylinder Sedans and Hard-				
tops (includes front sway bar, heavy-duty				
springs and shocks)	HP	E	E	NA
Handling Package, 6-Cylinder Wagons and all				
V-8's (includes heavy-duty springs and		-	_	-
shocks)	HP	E	E	E
Heavy-Duty Cooling System (includes heavy-duty	IIDC	CEED	CTD	C.T.D.
radiator, power-flex fan and fan shroud)	HDC	STD	STD E	STD E
Heavy-Duty 70-amp Battery Heavy-Duty 70-amp Battery and 55-amp	HB	E	E.	E
Alternator (for car less air conditioning)	4A7	E	E	E
Heavy-Duty Clutch with 3-Speed Transmission,	TA I	ב		1-1
6-Cylinder Only	нс	E	E	NA
Engine Block Heater	BH	E	E	E
Automatic Transmission Oil Cooler (standard		-	_	_
with V-8)	ATC	E	E	STD
****** · •/	-: 		_	•

FACTORY-INSTALLED OPTIONS (cont.)

Miscellaneous:	Code	Base	DPL	SST
Insulation Group includes undercoating and				
hood insulation	ING	\mathbf{E}	E	NA
Undercoating	UN	NA	NA	\mathbf{E}

Dealer-Installed Accessories

Cruise Command Kit (V-8 with automatic transmisssion only)

Tissue Dispenser

Compass - Illuminated

Litter Basket and Tissue Dispenser

Window Ventshades (except hardtops)

Window Screens; Pairs - Front and Rear Door (except hardtops)

Tailgate Window Screen - Station Wagons

Child's Safety Vest

Rear Door Child Safety Locks

Spotlight

License Plate Frames

Spare Tire Covers

Gas Door Guard

Rubber and Vinyl Floor Mats (pairs - door-to-door front and rear)

Air-Lift Air Springs

Load Levelers

Fuel Filter Mileage Minder - Extra Fuel Filtration

Luggage Straps - Pair

Luggage Carrier - Vinyl - All Station Wagons

Luggage Carrier - Vinyl - All Sedans (two sizes)

Ski Carrier - Top Mounted

Rear Deck Luggage Rack

Stereo Tape Players

AM Radios

FM/AM Radios

Rear Seat Speakers (except station wagons)

Locking Gas Caps

Door Edge Guards (2 and 4 piece sets)

Visor-Vanity Mirror

Remote-Control Mirrors

Right Hand Rearview Mirror

Engine Block Heaters - Six and V-8

Bumper Guards

Wheel Covers

Wire-Wheel Covers

Turbo-Cast Wheel Covers

Air-Conditioning Kits

Courtesy and Glove Box Light Kits

Parking Brake and Headlight Warning Buzzer Kits

Power Brake Kits

Rear Window Defogger Kit (sedans and hardtops)

Rear Shoulder Belt Kits

Trunk-Light Kit

Fuse Kit

Protective Trim Moldings

1969 AMBASSADOR DEALER-INSTALLED ACCESSORIES (cont.)

Clock Kit Dual Exhaust

_	1969	TRIM TYPE		TH (ST		VINYL (OPT.) "BASKETWEAVE"					
	MBASSAD	TRIM COLORS	BLUE	BROWN	AVOCADO	CHARCOAL	BLUE	BEIGE	AVOCADO		
MODELS	SEAT TYPES AVAILAE	BLE		"T" CODES	983	986	987	981	983	986	987
4 DOOR	BENCH CUSHION—NON-RECLINING BACK			†	Α	Α	Α	В			
SEDAN	INDIVIDUAL CUSHION—INDIVIDUAL RECLI		С	С	С	D	D	D	D		
\\	EXTERIOR COLORS	OPT. STRIPE									
	MATADOR RED	COLORS 39	COLORS 39	WHITE		•		•		•	
1	ASCOT GRAY, (Light)	62	80	BLACK	•			•	•		
-SF	CASTILLIAN GRAY, Metallic (Medium)	63	80	BLACK	•			•	•		
OLID COLORS STANDARD	BEALE ST. BLUE, Metallic (Medium)	64	65	WHITE	•			•	•		
) AF	REGATTA BLUE, Metallic (Dark)	65	65	WHITE	•	L		•	•		
N.	HUNTER GREEN, Metailic (Dark)	71	71	WHITE		•	. •	•		•	•
SOLID	FROST WHITE	72	80	BLACK	. •	•	•	•	•	•	•
Sc	WILLOW GREEN, Metallic (Medium)	75	75	BLACK		•		•		•	•
= ==	POMPEII YELLOW	76	75	BLACK				•			•
i	BUTTERNUT BEIGE, Metallic (Medium)	77	78	BLACK		•		•		•	
4	BLACK MINK, Metallic	62	80	WHITE	•	•	•	•	•	•	•
NE XTR/ ON	ASCOT GRAY, (Light) CASTILLIAN GRAY, Metallic (Medium)	63	80	BLACK	•		· - -	•	•		ļ
O-TO BLE E OPTI	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	65	WHITE	•			•	•		
8 TWO-TONE REVERSIBLE EXTRA COST OPTION	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75 76	75	BLACK			•	•			•
REVI CC	BLACK MINK, Metallic FROST WHITE	80 72	80	WHITE BLACK	•	•	•	•	•	•	•
	MATADOR RED ASCOT GRAY, (Light)	39 62	39	WHITE		•		•		•	
	MATADOR RED BLACK MINK, Metallic	39 80	39	WHITE		•		•		•	
	ASCOT GRAY, (Light) BLACK MINK, Metallic	62 80	80	BLACK	•			•	•		
	CASTILLIAN GRAY, Metallic (Medium) FROST WHITE	63 72	80	BLACK	•			•	•		
ш	CASTILLIAN GRAY, Metallic (Medium) BLACK MINK, Metallic	63 80	80	BLACK	•			•	•		
SIBL	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	64 72	65	WHITE	•			•	•		
EVEF TION	BEALE ST. BLUE, Metallic (Medium) BLACK MINK, Metallic	64 80	65	WHITE	•			•	•		
16 TWO-TONE NON-REVERSIBLE EXTRA COST OPTION	REGATTA BLUE, Metallic (Dark) ASCOT GRAY, (Light)	65 62	65	WHITE	•			•	•		
NE N COS	REGATTA BLUE, Metallic (Dark) BLACK MINK, Metallic	65 80	65	WHITE	•			•	•		
D-TO XTRA	HUNTER GREEN, Metallic <i>(Dark)</i> BLACK MINK, Metallic	71 80	71	WHITE		•	•	•		•	•
TWC	WILLOW GREEN, Metallic (<i>Medium)</i> FROST WHITE	75 72	75	BLACK		•	•	•		•	•
16	WILLOW GREEN, Metallic (Medium) BLACK MINK, Metallic	75 80	75	BLACK		•	•	•		•	•
	POMPEII YELLOW FROST WHITE	76 72	75	BLACK			•	•			•
	POMPEII YELLOW BLACK MINK, Metallic	76 80	75	BLACK			•	•			•
	BUTTERNUT BEIGE, Metallic <i>(Medium)</i> Frost White	77 72	78	BLACK		•		•		•	
	BUTTERNUT BEIGE, Metallic <i>(Medium)</i> Black Mink, Metallic	77 80	78	BLACK		•		•		•	

†Letter codes identify fabric with seat type.

	1969	TRIM TYPE	CLOTH (STD.) "TRAFALGAR"				VINYL (OPT.) (STD. ON WAGON) "VENTILAIR"					
	MBASSADOR DPL TRIM AND COLOR AVAILABIL	.ITY	TRIM COLORS	CHARCOAL	BLUE	BROWN	AVOCADO	CHARCOAL	BLUE	RED	BEIGE	
MODELS	SEAT TYPES AVAILABLE		"T" CODES		993	996	997	991	993	995	996	9
4 DOOR SEDAN	BENCH CUSHION—NON-RECLINING BACK (STD.)		, , , , , , , , , , , , , , , , , , ,	A	_ A	A	_ <u>A</u>					1
4 DOOR	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK (OP BENCH CUSHION—NON-RECLINING BACK (STD.)	1.)		С	С	С	С	D B	D B		D B	+
ST. WAG.	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK (OP	T.i		c	С	С	С	0	D		D	+
2 DOOR	BENCH CUSHION—NON-RECLINING BACK (STD.)			A	Ā	A	A	В	В	8	В	t
IARDTOP	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK (OP		C	С	С	С	0	D	D	D	1	
	EXTERIOR COLORS	BODY	OPT. STRIPE									
	MATADOR RED	39	WHITE	● 1				•1		• i		Т
, RI	ASCOT GRAY, (Light)	62	BLACK	•1	•2			• i	●2	•1		t
è	CASTILLIAN GRAY, Metallic (Medium)	63	BLACK	●1	●2			$lackbox{lack}{lack}_1$	●2	•1		1
Ž.	BEALE ST. BLUE, Metallic (Medium)	64	WHITE	•2	●2			•2	lacksquare	L		Į
S	REGATTA BLUE, Metallic (Dark) ALAMOSA AQUA, Metallic (Medium)	65	WHITE BLACK	• 2	•2							+
RŠ	HUNTER GREEN, Metallic (Dark)	71	WHITE	$-\frac{\mathbf{o}_1}{\mathbf{o}_1}$		• • · · ·		e e		ł	• 1	+
9	FROST WHITE	72	BLACK	• 1	•2	• <u>1</u>	• i	— — iii	lacksquare	● 1	•1	t
SOLID COLORS—STANDARD	WILLOW GREEN, Metallic (Medium)	75	BLACK	●,		● 1	● 1	•1			•1	1
٩	POMPEII YELLOW BUTTERNUT BEIGE, Metallic (Medium)	76 77	BLACK BLACK	● 1			• ı	•1				1
0 0	CORDOBA BROWN, Metallic (Metallic)	78	WHITE	●1 ●1		•		• 1 • 1			•1 •1	+
	BITTERSWEET ORANGE, Metallic	79	BLACK	• 1		•1	-				01	t
14	BLACK MINK, Metallic	80	WHITE	● 1	•2	•1	●1	•1	•2	•1	•1	t
10 TWO-TONE REVERSIBLE EXTRA COST OPTION	ASCOT GRAY, (Light) CASTILLIAN GRAY, MetaHic (Medium)	62 63	BLACK	•	•			•	•	•		
	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	WHITE	•	•			•	•	_		
	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75 76	BLACK	•			•	•				
	BUTTERNUT BEIGE, Metallic (Medium) CORDOBA BROWN, Metallic (Dark)	77 78	BLACK WHITE	•		•		•			•	l
26	BLACK MINK, Metallic / FROST WHITE	80 / 72	WHITE/BLACK	•	•	•	•	•	•	-	•	t
	MATADOR RED / ASCOT GRAY, (Light)	39 / 62	WHITE	•				•		•		t
	MATADOR RED / BLACK MINK, Metallic	39 / 80	WHITE	•				•		•		I
-	ASCOT GRAY, (Light) BLACK MINK, Metallic CASTILLIAN GRAY, Metallic (Medium)	62 / 80	BLACK	•	•	· · ·		•	•	•		+
	FROST WHITE	72	BLACK	•	•			•	•	•		1
ļ	CASTILLIAN GRAY, Metallic (Medium) BLACK MINK, Metallic	63 80	BLACK	•	•			•	•	•		1
-	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	72	WHITE	•	•			•	•			1
	BEALE ST. BLUE, Metallic (Medium) BLACK MINK, Metallic	64 80	WHITE	•	•			•	•			ļ
BLE	REGATTA BLUE, Metallic (Dark) ASCOT GRAY, (Light) REGATTA BLUE Machine (October)	65 62	WHITE	•	•			•	•			-
ERSI	REGATTA BLUE, Metallic (Dark) BLACK MINK, Metallic ALAMOSA AQUA, Metallic (Medium)	65 80	WHITE	•	•			•	•			1
23 TWO-TONE NON-REVERSIBLE EXTRA COST OPTION	FROST WHITE ALAMOSA AQUA, Metallic (Medium)	68 72	BLACK	•				•				+
NON OST (BLACK MINK, Metallic HUNTER GREEN, Metallic (Dark)	80 71	BLACK	•								-
A CC	BLACK MINK, Metallic	80	WHITE	•		•	•	•			•	1
D-TC XTR/	WILLOW GREEN, Metallic (Medium) WHITE WILLOW GREEN, Metallic (Medium)	75 / 72 75	BLACK BLACK	•		•	•	•			•	+
≥ "	BLACK MINK, Metallic POMPEII YELLOW / FROST WHITE	76 / 72		1	-							+
23 1	POMPEII YELLOW / PROST WHITE POMPEII YELLOW / BLACK MINK, Metallic	76 / 80	BLACK BLACK	•			•	•				+
	BUTTERNUT BEIGE, Metallic (Medium)	17	BLACK	•							•	+
	FROST WHITE	77 72	BLAUK			•		•				1
	BUTTERNUT BEIGE, Metallic (Medium) BLACK MINK, Metallic	77 80	BLACK	•		•		•			•	1
	CORDOBA BROWN, Metallic (Dark) ASCOT GRAY, (Light)	78 62	WHITE	•		•		•			•	
ŀ	CORDOBA BROWN, Metallic (Dark) / WHITE	78 / 72	WHITE	•		•		•			•	t
Ì	CORDOBA BROWN, Metallic (Dark)	78	WHITE	•		•		•			•	Γ
}	BLACK MINK, Metallic BITTERSWEET ORANGE, Metallic / WHITE	79 / 72	BLACK	1								+
}	BITTERSWEET ORANGE, Metallic / WHITE	79 / 72		•		•		•			•	+
	BLACK MINK, Metallic	80	BLACK			•		•		l i	•	

		SST									SST CUST.			
Δ	1969 MBASSADOR SS T	TRIM TYPE	CLOTH (Std.) "ARAGON"				VINYL (Opt.) (Std. on Wagons) "VENTILAIR")	CLOTH (Opt.) "VEL- OUR"		
	TRIM AND COLOR AVAILAB		TRIM COLORS	PLATINUM	BLUE	BROWN	AVOCADO	CHARCOAL	BLUE	RED	BEIGE	YELLOW	PLATINUM	
MODELS	SEAT TYPES AVAILABLE		"T" CODES	992	993	996	997	991	993		996	999	992	-
4 DOOR SEDAN	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BAC	K (Std.)	†	м	M	М	M	N			N		٧	
DOOR	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BAC	CK (Std.)			м	м	м	N			N			T
DOOR	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BAC			М	М	М	М	N	N	N	N	N	-	┝
HARD- TOP	BUCKET SEAT—RECLINING BACK (Opt.)	E	E	E	E	F	F	F	F	F		ŀ		
	EXTERIOR COLORS	BODY	OPT.				_	i i				•		L
_	MATADOR RED	COLORS 39	STRIPE White	• 1			-							Т
SOLID COLORS—STANDARD	ASCOT GRAY, (Light)	62	Black	0 2	●2			●1 ●1	•2	•1 •1			•1 •2	H
QN.	CASTILLIAN GRAY, Metallic (Medium)	63	Black	●2	●2			● 1	0 2	•ı			●2	I
TA	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	White White	●2	Q 2			Q 2	0 2				●2	1
S	ALAMOSA AQUA, Metallic (Medium)	68	White	●2 ●1	●2		\vdash	●2 ●1	●2				●2 ●1	+
RS	HUNTER GREEN, Metallic (Dark)	71	White	0 1		1	•1	01			• 1	•1	O 1	t
5	FROST WHITE	72	Black	●2	@ 2	• 1	•1	•1	●2	●i	•1	●1	●2	I
ខ	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75	Black	0 1		•1	•1	•ı	_		•1	01	1	H
9	BUTTERNUT BEIGE, Metallic (Medium)	76 77	Black Black	•1 •1		•1	•1	•1 •1	-		•1	•1	●1 ●i	H
10,6	CORDOBA BROWN, Metallic (Dark)	78	White	•1		O 1		01			O 1		01	t
41	BITTERSWEET ORANGE, Metallic	79	Black	● 1		●1		●1			•ı		●1	İ
	BLACK MINK, Metallic	80	White	●2	●2	•1	•1	•ı	●2	●1	•1	•1	●2	Į
10 TWO-TONE REVERSIBLE EXTRA COST OPTION	ASCOT GRAY, (Light) CASTILLIAN GRAY, Metallic (Medium)	62	Black	•	•			•	•	•			•	
	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	White	•	•			•	•				•	t
	WILLOW GREEN, Metallic (Medium)	75	Black	•			•	•				•	•	ŀ
	POMPEII YELLOW BUTTERNUT BEIGE, Metallic (Medium)	76	Wht. or Blk.			•	-				•		•	_
	CORDOBA BROWN, Metallic (Dark) BLACK MINK, Metallic/FROST WHITE	78 80 / 72	Wht. or Blk.	•	•		•	•	•	•		•	•	L
	MATADOR RED/ASCOT GRAY, (Light)	39 / 62	White		-		•			•	•		•	-
	MATADOR RED/BLACK MINK, Metallic	39 / 80	White	•	\dashv					•		_	•	H
Ţ	ASCOT GRAY, (Light)/BLACK MINK, Metallic	62 / 80	Black	•	•			•	•	•			•	
	CASTILLIAN GRAY, Metallic (Medium) FROST WHITE	63 72	Black	•	•			•	•	•			•	
	CASTILLIAN GRAY, Metallic (Medium) BLACK MINK, Metallic	63 80	Black	•	•			•	•	•			•	
	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	64 72	White	•	•			•	•				•	
Ī	BEALE ST. BLUE, Metallic (Medium) BLACK MINK, Metallic	64 80	White	•	•			•	•				•	
<u> </u>	REGATTA BLUE, Metallic (Dark) ASCOT GRAY, (Light)	65 62	White	•	•			•	•				•	r
RSIB	REGATTA BLUE, Metallic (Dark) BLACK MINK, Metallic	65 80	White	•	•			•	•				•	-
TION	ALAMOSA AQUA, Metallic (Medium) FROST WHITE	68 72	Black	•				•					•	-
- O -	ALAMOSA AQUA, Metallic (Medium) BLACK MINK, Metallic	68 80	Black	•				•					•	
COS	HUNTER GREEN, Metallic (Dark) BLACK MINK, Metallic	71 80	White	•		•	•	•			•	•	•	-
0.4	WILLOW GREEN, METALLIC (Medium)/WHITE	75 / 72	Black	•		•	•	•			•	•	•	_
23 TWO-TONE NON-REVERSIBLE EXTRA COST OPTION	WILLOW GREEN, Metallic (Medium) BLACK MINK, Metallic	75 80	Black	•		•	•	•			•	•	•	
	POMPEII YELLOW/FROST WHITE	76 / 72	Black	•		1	•	•				•	•	
	POMPEII YELLOW/BLACK MINK, Metallic BUTTERNUT BEIGE, Metallic (Medium)	76 / 80	Black	•		_	•	•	— ∤			•	•	_
	FROST WHITE BUTTERNUT BEIGE, Metallic (Medium)	72	Black	•	\dashv	•	_	•	_		•		•	_
	BLACK MINK, Metallic	80	Black	•		•		•			•		•	
	CORDOBA BROWN, Metallic (Dark) ASCOT GRAY, (Light)	78 62	White	•		•		•			•		•	
	CORDOBA BROWN, Metallic (Dark)/WHITE	78 / 72	White	•		•		•	\Box	\Box	•		•	_
-	CORDOBA BROWN, Metallic (Dark) BLACK MINK, Metallic	78 80	White	•		•		•			•	1	•	
										\rightarrow	+		•	_
-	BITTERSWEET ORANGE, Metallic/WHITE BITTERSWEET ORANGE, Metallic	79 / 72	Black	•	_	•		•	1	I	•			_

NOTE: 2 Door Hardtop and 4 Door Sedan Vinyl covered roofs.
"Levant Grain" grain vinyl. 1 Black or White. 2 Blue, Black or White † Lettered codes identify fabric with seat type.

1969 AMBASSADOR Comparative Dimensions

FULL-SIZE AUTOMOBILES _____4-DR. SEDANS

	Ambass	sador '68	Chevrolet '69* '68		Fo '69*	rd '68	Fur '69*	'y '68
			0 7**			00	109*	- 68
Wheelbase	122.0	118.0	119.0	119.0	121.0	119.0	120.0	119.0
Length	206.5	202.5	215.9	214.7	214.0	213.3	214.5	213.0
Width	77.2	77.2	79.8	79.6	79.8	78.0	79.6	77.7
Height	54.7	54.7	55.5	55.8	55.0	55.8	56.6	55.8
Front Overhang	32.9	32.9		36.4	38.4	37.4		34.5
Rear Overhang	51.6	51.6		59.3	54.6	56.9		59.5
Front Tread	60.0	58.6	62.5	62.5	63.0	62.0	62.1	62.0
Rear Tread	60.0	58.5	62.4	62.4	64.0	62.0	60.7	60.7
Turning Circle	42.8	39.0		41.0		43.6		42.8
Head Room, Front	39.8	39.8		38.9	39.2	38.9	38.8	39.5
Head Room, Rear	37.8	37.8		37.9	37.4	37.8	38.4	37.7
Leg Room, Front	42.0**	42.6		41.7	42.1	41.9	41.8	41.8
Leg Room, Rear	38.6	38.6		39.5	38.7	37.6	38.6	37.0
Total Leg Room	80.6	81.2		81.2	80.8	79.5	80.4	78.8
Hip Room, Front	60.3	60.3		63.7	62.3	62.6		63.4
Hip Room, Rear	60.4	60.4		62.9	62.3	62.7		63.3
Shoulder Room, Front	60.0	60.0		62.4	62.0	60.0	63.4	60.0
Shoulder Room, Rear	60.0	60.0		61.3	61.8	59.9	62.8	60.0
Usable Luggage Cap.	18.2	18.2		17.0	18.0	19.1		19.5

^{*} Anticipated dimensions

^{**} Due to suspended accelerator pedal

1969 AMBASSADOR Comparative Dimensions

FULL-SIZE AUTOMOBILES
_____4-DR. SEDANS

	Ambass _'69	sador <u>'68</u>	Cata '69*	alina '68	Le Sabre '69 '68	Mer '69*	cury '68_	Polara Mona '69*	
Wheelbase	122.0	118.0	122.0	121.0	123.0	124.0	123.0	122.0	122.0
Length	206.5	202.5	217.5	216.5	217.5	221.8	220.1	220.8	219.0
Width	77.2	77.2	79.8	79.8	80.0	79.8	77.9	79.6	80.0
Height	54.7	54.7	54.8	54.8	55.5	55.1	56.0	56.6	56.3
Front Overhang	32.9	32.9		37.9	38.0		38.5		36.0
Rear Overhang	51.6	51.6		57.6	56. 5		58.6		61.0
Front Tread	60.0	58.6	64.0	63.0	63.0	63.0	62.0	62.1	62.0
Rear Tread	60.0	58.5	64.0	64.0	63.0	64.0	62.0	60.7	60.7
Turning Circle	42.8	39.0		42.8	42.7		43.6		43.5
Head Room, Front	39.8	39.8		39.1	39.1	38.7	38.9	38.8	39.9
Head Room, Rear	37.8	37.8		37.7	37.7	37.3	37.7	38.4	38.5
Leg Room, Front	42.0**	42.6		42.4	42.2	41.7	41.9	41.8	41.8
Leg Room, Rear	38.6	38.6		38.1	39.0	38.3	37.6	39.7	39.0
Total Leg Room	80.6	81.2		80.5	81.2	80.0	79.5	81.5	80.8
Hip Room, Front	60.3	60.3		63.8	63.8	62.3	62.6		63.3
Hip Room, Rear	60.4	60.4		62.4	62.9	62.3	62.7		63.3
Shoulder Room, Front	60.0	60.0		62.3	62.3	62.0	60.0	63.4	60.0
Shoulder Room, Rear	60.0	60.0		61.4	61.4	61.8	59.9	62.8	60.0
Usable Luggage Cap.	18.2	18.2		18.9	16.2	20.6	19.1		18.0

^{*} Anticipated dimensions

^{**} Due to suspended accelerator pedal

1969 AMBASSADOR Comparative Dimensions

FULL-SIZE AUTOMOBILES WAGONS

	Ambas 169	sador '68	Chev:	rolet '68	Fo: '69*	rd '68_	F1 169*	1ry '68
Wheelbase	122.0	118.0	119.0	119.0	121.0	119.0	122.0	122.0
Length	207.0	203.0		213.9	212.0	213.9		216.0 (6 Pass.) 217.0 (8 Pass.)
Width	77.2	77.2		79.6	79.8	78.0		78.0
Height	55.4	55.4		56.7	56.8	57.2		57.7
Front Overhang	32.9	32.9		36.4		37.4		34.0
Rear Overhang	52.1	52.1		58.5		57.5		60.0
Front Tread	60.0	58.6		63.5	63.0	62.0		62.0
Rear Tread	60.0	58.5		63.4	64.0	62.0		60.7
Turning Circle	42.8	39.0		41.0		43.6		43.5
Head Room, Front	39.8	39.8		39.2	39.4	39.0		40.1
Head Room, Rear	38.6	38.6		38.8	39.6	40.0		39.6
Leg Room, Front	42.0	42.6		41.7	42.1	41.9		41.8
Leg Room, Rear	38.6	38.6		37.5	37.1	36.8		37.9
Total Leg Room	80.6	81.2		79.2	79.2	78.7		7 9.7
Hip Room, Front	60.3	60.3		63.7	62.3	62.6		63.4
Hip Room, Rear	60.4	60.4		63.1	62.4	62.7		63.3
Shoulder Room, Fron	t 60.0	60.0		62.3	62.0	60.0		60.0
Shoulder Room, Rear	60.0	60.0		61.4	62.0	59.9		60.0
Usable Luggage Cap.	99.1	94.6		106.1	105.3*	* 103.0**		96.9**

^{*} Anticipated dimensions

^{**} Underfloor storage not included

^{***} Due to suspended accelerator pedal

1969 AMBASSADOR Comparative Dimensions

FULL-SIZE AUTOMOBILES 2-DR. HARDTOPS

	Ambass '69	ador '68	Chev 169*	rolet '68_	Fo '69*	rd '68_	169*	Fury
Wheelbase	122.0	118.0	119.0	119.0	121.0	119.0	119.0	119.0
Length	206.5	202.5	215.9	214.7	214.0	213.3		213.0
Width	77.2	77.2	79.8	79.6	79.4	78.0		77.7
Height	53.6	53.6	5 5. 5	54.3	54.5	54.6		55.2
Front Overhang	32.9	32.9		36.4		37.4		34.5
Rear Overhang	51.6	51.6		59.3		56.9		59.5
Front Tread	60.0	58.6	62.5	62.5	63.0	62.0		62.0
Rear Tread	60.0	58.5	62.4	62.4	64.0	62.0		60.7
Turning Circle	42.8	39.0		41.0		43.6		42.8
Head Room, Front	38.7	38.7		38.3	39.2	38.0		38.4
Head Room, Rear	36.5	36.5		37.3	37.4	37.9		38.1
Leg Room, Front	42.0**	42.6		41.6	42.1	41.9		41.8
Leg Room, Rear	35.5	35.5		34.9	38.7	36.1		34.7
Total Leg Room	77.5	78.1		76.5		78.0		76.5
Hip Room, Front	60.8	60.3		63.7	62.3	62.6		63.4
Hip Room, Rear	59.5	59.5		55.5	61.1	61.7		63.8
Shoulder Room, Front	60.0	60.0		62.4	62.0	60.0		60.0
Shoulder Room, Rear	59.0	59.0		61.0	60.6	58.7		60.0
Usable Luggage Cap.	18.2	18.2		17.3	18.0	18.9		19.5

^{*} Anticipated dimensions

^{**} Due to suspended accelerator pedal

1969 Standard Size Competition

Chevrolet

- Reskin (new in 1965)

Ford

- New (new in 1965)

Fury

- New (new in 1965)

Pontiac

- Reskin

Buick LeSabre


- Reskin

Oldsmobile

- Reskin

Mercury - New

Polara & Monaco - New



SSI







<u>1969</u>

REBEL

TABLE OF CONTENTS

New Features	Page
- Product Highlights	1,2
- New Exterior and Interior Styling Features	3-5
- New Chassis and Mechanical Features and Chassis and Mechanical Changes	6
- New Optional Equipment and Optional Equipment Changes	6
- Model and Series Availability	7
- New Safety Features	7
1969 Product	
- Standard Safety Features	8,9
- Series Features and Differentials	10-15
- Retained Standard Features	16,17
- Engine, Transmission and Rear Axle Availability	18
- Tire Availability	19
- Factory-Installed Options	20-23
- Dealer-Installed Options and Accessories	24, 25
- Exterior Colors, Vinyl Roofs, Two-Tone Combinations and Interior Trim Selections	26,27
- Dimensions	28-30
- Competition	31

Product Highlights

The 1969 Rebel features a new front appearance derived from a new grille and new head lamp bezels. The new rear appearance features new tail lamp assemblies, a new deck lid and a new lower deck opening panel.

The new tail lamp assemblies provide a new rear side appearance through the new wrap around design. Block lettering is used for all exterior and interior "Rebel" nameplates replacing the script used in some areas on the 1968 model.

The Rebel is offered in two series and six models for 1969 instead of the three series and nine models as in 1968.

Rebel Series:

4-Door Sedan	6915
2-Door Hardtop	6919
4-Door Station Wagon	6918

Rebel SST Series:

4-Door Sedan	6915-7
2-Door Hardtop	6919-7
4-Door Station Wagor	6918-7

The 550 and 770 series are dropped and replaced by a low-line "Rebel" series. This now provides consistency throughout all AM lines in that the base series in each line is given the general line name with higher-line models in each series given suffix designations. The SST high-line series is retained with two new models for 1969, the SST 4-door sedan and the SST 4-door station wagon.

All convertibles are dropped for 1969.

The 1969 Rebel line interiors feature an all-new instrument panel, all-new door trim panel designs, all-new seat trim designs and new cloth fabrics. The Basketweave (low-line) and Ventilair (high-line) vinyl fabrics are retained but in new trim patterns.

All Rebel line station wagons feature the new Dual-Swing tailgate as standard equipment. The roof rack remains standard equipment for 1969.

The front and rear tread increase to a new wide 60". This is an increase of 1.4" for the front tread and 1.5" for the rear tread.



PRODUCT HIGHLIGHTS (cont.)

The 232 CID, 145 HP six-cylinder engine becomes standard across the line. The 290 CID V-8 engine is dropped as standard in the SST series and becomes optional across the line.


A new higher capacity air-conditioning system is optionally offered. The new system features higher cooling capacity, higher air movement capacity and a new passenger side instrument panel outlet. A new instrument panel "Command Air" ventilation system is offered optionally. This system features all the normal air-conditioning outlets and a high capacity, three-speed blower motor and, therefore, can be easily and less expensively converted to air conditioning at a later date.


All the 1968 SAFE-COMMAND safety features are carried into 1969. Further new features are added to continue American Motors' traditional policy of vehicle safety.

A detailed description of the new Rebel for 1969 follows.

1969 Rebel

New Exterior Styling Features





New Exterior Styling Features

 ${\underline{\mathrm{NEW}}}$ - injection-molded plastic (ABS) grille featuring full-width ribbing

NEW - rear styling

NEW - deck lid

NEW - lower deck opening panel


NEW - wrap around tail lamp design (with integral back-up lights)

NEW - paint treatment on hub caps and optional wheel covers

1969 Rebel

New Interior Styling Features

New—Instrument panel



New

• seat trim styles, colors and fabrics • door trim panel patterns with new deeper padded appearance • instrument panel with padded eyebrow • 100% nylon cut-pile carpet on SST series (running change for late 1968)

New Chassis And Mechanical Features

- NEW wider track front and rear both become 60.0"
- NEW "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace
- NEW "Clear-Power 24" battery with transparent, light-weight polypropylene case
- NEW steering linkage geometry for improved handling
- NEW rear suspension geometry for more stabilized ride and reduced vibration
- NEW suspended accelerator pedal
- NEW longer upper control arm bushings for softer and quieter ride
- NEW 55-amp alternator (replaces 40-amp alternator) with "All-Season" air conditioning option

Chassis and Mechanical Changes

The secondary (outer) door seals are removed on all 4-door models See General (Section 6) also

New Optional Equipment

- NEW * -higher capacity "All-Season" air-conditioning system featuring faster initial cooling to lower interior temperatures with more air movement capacity
- NEW * "Command Air" ventilation system featuring all air-conditioning instrument panel outlets and a high-capacity, three-speed blower motor
- NEW- passenger side instrument panel outlet included with A/C and the above ventilation system
- NEW F78 x 14 wide aspect, fiberglass-belted ("Polyglas") white wall tires (standard white wall tires remain optional)

Optional Equipment Changes

Overdrive available on 232 CID, 145 HP six-cylinder engine only, was this engine and 290 CID, 200 HP V-8 engine

Exterior paint stripe available with base series only, new trim strip for SST Hood insulation no longer standard on SST. Optional insulation group now available across the series

Four-speed manual transmission not available Tachometer dropped

* Where either "All-Season" air conditioning or "Command Air" ventilation is installed on a Rebel (base), the SST instrument panel will be standard

Model Availability

Body Styles	Rebel (Base)	Rebel SST	Total
4-Door Sedans	6915	6915-7	2
2-Door Hardtops	6919	6919-7	2
4-Door Station Wagons	6918	6918-7	2
Total	<u>3</u>	3=	<u>6</u>

The 550 and 770 series are dropped. The Rebel series replaces these as a low-line series

The Rebel SST series remains the high-line series and in 1969, the number of models is increased to three with the addition of the following new models:

SST 4-Door Sedan SST 4-Door Station Wagon

All convertibles are dropped

New Safety Features

Redesigned adjustable headrests

Increased depth of new instrument panel crash pad eyebrow to eliminate reflections

Relocation of ignition switch to reduce knee impact hazard

Redesigned radio push buttons for larger corner radii to reduce head impact hazard

Air-conditioning outlets protected by crash pad eyebrow

"SAFE-COMMAND" Safety Features (Standard unless otherwise noted)

Construction

Energy absorbing front end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Molded ceilings
Padded instrument panel
Break-away front ash receivers
Recessed rear ash receiver
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double-safety brake system with self-adjusting feature
Brake system warning light
Mechanical stoplight switch
Corrosion-resistant brake lines and fittings
Safety-rim wheels
Tread-wear indicators molded into tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts
Rear shoulder-belt anchors installed
Safety-seat and shoulder-belt anchorages
Safety-seat anchorages

Automatic lock with manual release folding front seats on 2-door models

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Seating and Seat Belts (cont.)

Folding rear-seat-back latches for wagons Front seat headrests Padded front seat back

Locks and Door Handles

High-strength door locks
"Pre-Set-Impulse" front door locking system
Safety-shaped interior door handles
Flush-contoured outside door handles
Two key locking system

Accessories and Equipment

4-way hazard warning signals

Lane changer feature for turn signals

Safety vanity mirror (opt.)

Automatic back-up lights

Shift-command for automatic or manual operation on automatic transmission (opt.)

Day/Night inside rearview mirror with twin pivots and protected edges

Rearview mirror, left side exterior

Windshield washers - manual (electric opt.)

Non-glare windshield wipers

Vacuum power booster windshield wiper motors (electrical opt.)

Defrosters and defoggers

Side-of-Car safety markers, front and rear

"Guard-Glo" head lamps


Parking lights illuminated with headlights

1969 Rebel

Series Features


Rebel (Base):

Exterior:



Interior:

New-Instrument panel



New

• unique door trim panels and seat designs • "Doric" pattern cloth seat trim • "Basketweave" pattern embossed vinyl seat trim optional (standard on wagons)


Rebel (Base) Features

Exterior:

Grille accented with bright paint lines
Bright windshield and rear window reveal moldings
Bright drip-rail moldings
11 exterior paint colors
Bright hub caps
Rebel lettering on hood (driver's side), fender (to the rear of the wheel opening) and deck lid/tailgate in bold block letters

Interior:

232-IV, 145 HP six-cylinder engine standard
Cigarette lighter
Color keyed rubber floor mats in four colors (Blue, Brown, Avocado and Black)
Front armrests
Rear armrests on 4-door models
Bright instrument panel and door trim moldings
Unique door trim panels
Unique seat trim patterns




1969 Rebel

Series Features

Rebel SST:


Same as Rebel (base) except as noted below

Exterior:



Interior:

New-Instrument panel



• unique door trim panels and seat design • "Cloister" pattern cloth seat trim Optional "Ventilair" breathable vinyl seat trim (standard on wagons)

Series Differentials

Rebel SST Over Rebel

Exterior:

Black grille - no bright accent lines

SST nameplates on grille, front fender behind wheel opening
and lower deck opening panel

Bright full-length body side moldings

Bright full-wheel opening moldings

Bright lower window moldings

Bright full-length lower deck opening panel molding

Bright simulated lowers on lower quarter panel forward of the
wheel opening (hardtop only)

Interior:


Black wood applique on instrument panel
Custom steering wheel
100% nylon cut-pile carpet (running change for late 1968)
Glove box lock and front door dome or "C" pillar switches
Unique door trim panels with SST nameplate
Rear armrests for two-door model
Unique seat trim patterns and cloth materials


1969 Rebel


Series Features

Wagons:

Rebel







New

- Dual-Swing tailgate is standard Exterior and interior trim same as other models within series
- Cargo area rubber mat is color keyed in Blue, Brown, Avocado and Black Hidden luggage compartment Luggage rack remains standard

Rebel SST Over Rebel (base):

• Exterior and interior trim same as other models within series • Cargo area mat is 100% nylon, cut pile carpet • Lockable hidden luggage compartment • Tailgate trim panel

1969 REBEL Series Features

Wagons:

Rebel (base):

New - Dual-Swing tailgate is standard

Exterior and interior trim same as other models within series

Cargo area rubber mat is color keyed in Blue, Brown, Avocado and Black

Hidden luggage compartment

Luggage rack remains standard

Rebel SST Over Rebel (base):

Exterior and interior trim same as other models within series Cargo area mat is 100% nylon cut-pile carpet Lockable hidden luggage compartment

Retained Standard Features

Body:

All-welded, single-unit body construction (safe, strong, durable) ("Advanced Unit Construction")

Deep-Dip body rustproofing

Weather-Eye heater

Fresh-air ventilation

Triple coated Lustre-Gard acrylic enamel (14 colors)

Molded cushioned acoustical ceiling

Curved side glass

Injection-molded plastic (ABS) grille and headlight housings

Two-position front door checks

Cigarette lighter

Front ash receiver

Rear ash receivers (except base Rebel Hardtop)

Coil-spring seat construction (solid foam for wagon third seat)

Front seat foam cushion

Dome or side pillar lights

Hidden compartment for station wagons (lock on SST)

Two coat hooks

Extruded aluminum door window frames

on all 4-door models

Neoprene door seals on all hardtops

Mechanical:

Coil springs at all four wheels

Direct-action, independent front suspension with sway bar on V-8's and wagons

Four-link, trailing arm rear suspension

Hypoid gear rear axle

Self-adjusting brakes with bonded linings

Brake diameter for Six (except wagons) 9"; lining area 153.8 square inches

Brake diameter for V-8 (and wagons) 10"; lining area 167.5 square inches

Standard 4-ply-rating, 2-ply tires; Sixes and V-8's, 7.35 x 14, 7.75 x 14 for wagons (see "Options")

Engine-oil filter, full flow

RETAINED STANDARD FEATURES (cont.)

Mechanical: (cont.)

Fuel filters in tank and at carburetor. In-line filter just ahead of carburetor, was in fuel pump

Fuel-tank approximate capacity, 21.5 gallons (19 for 3-seat wagons)

All-Season engine coolant

Anti-smog positive crankcase vent

"Engine-Mod" exhaust emission control system

Automatic choke

Electrical:

Dual horns for SST (one for base Rebel)

Standard 35-amp electronic alternator and sealed transistorized voltage regulator (40-amp with air conditioning)

NEW - "Clear-Power 24" Intercell Battery (was Power-Guard);
50-amp standard on Sixes and "290" V-8's, 60-amp standard
on "343" and "390" V-8's, 70-amp optional

Name and type of battery changed but electrical characteristics retained Dual horizontal head lamps

1969 REBEL
Engine, Transmission and Rear Axle Availability

		Rear Axle	Ratios +
Engine	Transmission	Std.	Opt. ***
145 HP Torque-Command 232 CID Six Standard	3-Speed Manual; Column (std.) Overdrive; Column (opt.) Shift-Command Automatic; Column (opt.)	3. 15:1 3. 54:1 3. 15:1	3.54:1
155 HP Torque-Command 232 CID Six Optional	Shift-Command Automatic; Column (opt.)	3. 15:1	
200 HP Typhoon V-8 290 CID Optional	Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Console (opt.)*	2.87:1 2.87:1	3. 15:1 3. 15:1
235 HP Typhoon V-8 343 CID Optional	Shift-Command Automatic; Column (opt.)	2.87:1	3.15:1
280 HP Typhoon V-8 343 CID** Optional	Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Console (opt.)*	2.87:1 2.87:1	3.15:1 3.15:1

^{*}Available only on SST hardtop with bucket seats

^{**}Dual exhaust available optionally on 280 HP, 343 Cu. In. engine

^{***}Available at no extra cost

⁺Also 3.73:1, 3.91:1, 4.10:1, 4.44:1, and 5.00:1 available as extra cost DEALER-INSTALLED options for V-8

1969 REBEL Tire Availability

TIRE	SIZES

TIRE SIZES	REBE	L SIX	REBE	REBEL V-8	
	Sedans & Hardtops	Station Wagons	Sedans & Hardtops	Station Wagons	
7.35 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) Black	STD	NA	STD	NA	
7.35 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) White	OPT	NA	OPT	NA	
7.75 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) Black	OPT	STD	OPT	STD	
7.75 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) White	OPT	OPT	OPT	OPT	
7.75 x 14, 8-Ply Rated 4-Ply Rayon (Or Vytacord) Black & Whit	e OPT	OPT	OPT	OPT	
8.25 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) Black (With 6" Rim Width Wheel)	NA	OPT	NA	OPT	
8.25 x 14, 4-Ply Rated 2-Ply Rayon (Or Vytacord) White (With 6" Rim Width Wheel)	NA	OPT	NA	OPT	
8.25 x 14, 8-Ply Rated 4-Ply Rayon (Or Vytacord) Black & White (With 6" Rim Width Wheel)	NA	OPT	NA	OPT	
F78 x 14, 4-Ply Rated 2-Ply Fiberglass-Belted "Polyglas" (Wide Aspect, Extra Per- formance White Wall)	NA	NA	ОРТ	NA	

Symbols:

1969 **REBEL** Factory-Installed Options

Section 2 Page 20

E - Extra Cost NA - Not Available

STD - Standard

	Code	Base	SST
Paint and Upholstery:			
Two-Tone Paint Special Application of AM Colors (covers two- tone combinations not offered, paint colors	-1-	E	E
not offered in a given line) All Vinyl Seat Upholstery (standard on station		E	E
wagons) All Vinyl Seat Upholstery for Individual Seat		E	E
Only Vinyl Covered Roof - Black, Off-White and Blue	BKV WHV BUV	E NA	E E
Engines:			
232 CID, 145 HP Torque-Command Six 232 CID, 155 HP Torque-Command Six	145	STD	STD
(2-barrel carburetor) 290 CID, 200 HP Typhoon V-8 (2-barrel	155	E	E
carburetor) 343 CID, 235 HP Typhoon V-8 (2-barrel	200	E	E
carburetor) 343 CID, 280 HP Typhoon V-8 (4-barrel	235	E	E
carburetor) Dual Exhaust for 343 CID, 280 HP engine	280 DE	E E	E E
Performance Groups and Items:			
Twin-Grip Differential	TGD	E	E
<u>Transmissions</u> :			
Shift Command, Column Shift Six Cylinder 290 CID V-8 343 CID V-8	A	E E E	E E E

1969 REBEL FACTORY-INSTALLED OPTIONS (cont.)

Transmissions (cont.):	Code	Base	SST
Shift Command, Floor Shift with Console and Bucket Seats Only (with V-8 only but	C	D.T.A.	E
not available with 343 CID, 235 HP engine) Overdrive-Column Shift (for 232 CID, 145 HP	С	NA	E
engine only)	0	E	E
Power Assists:			
Power Steering (recommended with air			
conditioning)	PS	E	\mathbf{E}
Power Brakes	PB	$\mathbf E$	\mathbf{E}
Power Disc Brakes (V-8 only)	DP	E	\mathbf{E}
Power Lift Tailgate Window	PW1	E	\mathbf{E}
Cruise-Command Automatic Speed Control			
System (with V-8 and automatic trans-			
mission only)	ASC	E	E
Seating Items:			
Individually Adjustable Reclining Seats	IS	E	E
Reclining Bucket Seats (hardtop only)*	SB	NA	\mathbf{E}
Reclining Bucket Seats with Front Arm Rest			
and Center Cushion (hardtop only)	SBA	NA	E
Third Seat, Station Wagon (includes power			
rear window, roof top travel rack and			-
two seat belts)	TS	NA	E
Radios and Tape Equipment:			
AM Push Button Radio	RP	E	E
AM FM Push Button Radio	RFM	E	E
Stereo 8 Tape Player with two rear mounted			
speakers (4-door sedan & hardtop only)	STP	E	E
Duo-Coustic Rear Speaker (available with	D.C.C	ic.	F
radio only on sedans and hardtops)	DCS	E	E

^{*} Available With Console Shift Only

FACTORY-INSTALLED OPTIONS (cont.)

	Code	Base	SST
Appearance Items:			
Exterior Paint Stripe	ETS	E	NA
Appearance Group (includes wheel opening			
moldings and wheel discs)	APC	E	NA
Custom Steering Wheel	CR	E	STD
Sports Steering Wheel	SSW	NA	E
Wheel Discs	WD	E	\mathbf{E}
Turbo-Cast Wheel Covers	TC	E	${f E}$
Wire-Wheel Covers	WC	E	\mathbf{E}
Bumper Guards - Front and Rear (not			
available on wagons)	BG4	E	\mathbf{E}
Bumper Guards - Front Only (wagons only)	BG2	E	E
Wood-Grain Paneling, Side Only - Wagons Only			
(not available with two-tone paint)	WO	NA	E
(1100 d. d.12d.20 with two tollo paint)	-		
Heating and Air Conditioning:			
All-Season Air Conditioning (includes heavy-			
duty engine cooling system and 55-amp			_
alternator)	AC	E	E
"Command Air" Ventilation System (includes all			
ventilation outlets used with the All-Season			
air-conditioning system and high-capacity,			
three-speed blower motor)	CA	E	E
Solex Glass - Windshield Only	SW	E	\mathbf{E}
Solex Glass - All Windows (recommended			
with air conditioning)	SG	E	E
Convenience Groups and Items:			
Visibility Group (includes remote-control			
left outside mirror, clock, visor-vanity			
mirror, electric three-speed windshield			
wipers and electric washers)	VG	E	E
Light Group (includes trunk or cargo light,			
two courtesy lights, glove box light, ash			
receiver light, parking brake warning light,			
lights-on warning buzzer and front door			
switches (Base) or rear door switches (SST))	LG	E	E
Adjust-O-Tilt Steering Wheel (not available			_
with manual column shift)	ASW	E	E
Willi Illandar Column Shirty	22011		_

INC

 \mathbf{E}

E

1969 REBEL FACTORY-INSTALLED OPTIONS (cont.)

Insulation Group - includes undercoating and

hood insulation

	Code	Base	SST
Heavy-Duty Equipment:			
Handling Package, 6-Cylinder Sedans and Hardtops (includes front sway bar, heavy-			
duty springs and shocks)	HP	${f E}$	E
Handling Package, 6-Cylinder Wagons and all V-8's (includes heavy-duty springs and			
shocks)	HP	E	${f E}$
Heavy-Duty Cooling System (includes heavy-			
duty radiator, power-flex fan and fan shroud)	HDC	E	\mathbf{E}
Heavy-Duty 70-Amp Battery	$^{ m HB}$	E	${f E}$
Heavy-Duty 70-Amp Battery and 55-Amp			
Alternator (for car less air conditioning)	4A7	\mathbf{E}	$\mathbf E$
Engine Block Heater	BH	E	E
Automatic Transmission Oil Cooler (standard			
with V-8)	ATC	E	\mathbf{E}
Miscellaneous:			

Dealer-Installed Accessories

Cruise Command Kit (V-8 with automatic transmission only)

Tissue Dispenser

Compass - Illuminated

Litter Basket and Tissue Dispenser

Window Ventshades (except hardtops)

Window Screens; Pairs - Front and Rear Door (except hardtops)

Tailgate Window Screen - Station Wagons

Child's Safety Vest

Rear Door Child Safety Locks

Spotlight

License Plate Frames

Spare Tire Covers

Gas Door Guard

Rubber and Vinyl Floor Mats (pairs - door-to-door front and rear)

Air-Lift Air Springs

Load Levelers

Fuel Filter Mileage Minder - Extra Fuel Filtration

Luggage Straps - Pair

Luggage Carrier - Vinyl - All Station Wagons

Luggage Carrier - Vinyl - All Sedans (two sizes)

Rear Deck Luggage Rack

Ski Carrier - Top Mounted

Stereo Tape Players

AM Radios

FM/AM Radios

Rear Seat Speakers (except station wagons)

Locking Gas Caps

Door Edge Guards (2 and 4 piece sets)

Visor-Vanity Mirror

Remote-Control Mirrors

Right Hand Rearview Mirrors

Engine Block Heaters - Six and V-8

Bumper Guards

Wheel Covers

Wire-Wheel Covers

Turbo-Cast Wheel Covers

Air-Conditioning Kits

Courtesy and Glove-Box Light Kits

Parking Brake and Headlight Warning Buzzer Kits

Power Brake Kits

Rear Window Defogger Kit (sedan and hardtops)

Rear Shoulder-Belt Kits

Trunk-Light Kit

Fuse Kit

Protective Trim Moldings

Special Rear Axle Ratio Gear Sets

DEALER-INSTALLED ACCESSORIES (cont.)

Clock Kit
Dual Exhaust

	4000			SERIES				'REBEL				
	1969			TRIM	CL	OTH (S	td.)	VINYL (Opt.) (Std. on Wagons) "BASKETWEAVE"				
REBEL SEAT, TRIM AND COLOR AVAILABILITY			TRIM COLORS	BLUE	BROWN	AVOCADO	CHARCOAL	BLUE	BEIGE	AVOCADO		
MODELS	SEAT TYPES AVAILAB			"T" CODES	953	956	957	951	953	956	957	
4 DOOR SEDAN	BENCH CUSHION—NON-RECLINING BACK (S INDIVIDUAL CUSHION—INDIVIDUAL RECLINI	NG BACK (Opt.)	†	A C	A C	C	B D	B	D	D	
4 DOOR ST. WAG.	BENCH CUSHION—NON-RECLINING BACK (S INDIVIDUAL CUSHION—INDIVIDUAL RECLINI		Opt.)		- c	С	C	B	B	B	B	
2 DOOR	BENCH CUSHION-NON-RECLINING BACK (S				Α	Α	Α	В	В	В	В	
HARD- TOP	INDIVIDUAL CUSHION—INDIVIDUAL RECLINI	NG BACK (C)pt.)		С	С	С	D	D	D	D	
	EXTERIOR COLORS	BODY COLOR	WHEEL COLOR	OPT. STRIPE		,	,					
	MATADOR RED ASCOT GRAY, (Light)	39 62	39 80	White Black				•		•	ļ	
RD.	CASTILLIAN GRAY, Metallic (Medium)	63	80	Black	•			•	•			
SOLID	BEALE ST. BLUE, Metallic (Medium)	64	65	White	•			•	•			
SOLID	REGATTA BLUE, Metallic (Dark)	65	65	White	•			•	•			
0, 1	HUNTER GREEN, Metallic (Dark)	71	71	White		•	•	•		•	•	
11 COLOR-	FROST WHITE	72	80	Black	•	•		•	•	•	•	
210	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75 76	75 75	Black	ł	•		•		•	•	
ၓ	BUTTERNUT BEIGE, Metallic (Medium)	77	78	Black Black					· ··			
	BLACK MINK, Metallic	80	80	White	-	•			•	•		
ш	ASCOT GRAY, (Light) CASTILLIAN GRAY, Metallic (Medium)	62 63	80	Black	•			•	•			
B REVERSIBLE TWO-TONES E.C. OPTION	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	65	White	•			•	•			
REVE WO-1 .C. 0	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75 76	75	Black			•	•			•	
ω	BLACK MINK, Metallic FROST WHITE	80 72	80	White Black	•	•	•	•	•	•	•	
	MATADOR RED ASCOT GRAY, (Light)	39 62	39	White		•		•		•		
	MATADOR RED BLACK MINK, Metallic	39 80	39	White		•		•		•		
	ASCOT GRAY, (Light) BLACK MINK, Metallic	62 80	80	Black	•			•	•			
	CASTILLIAN GRAY, Metallic (Medium) FROST WHITE	63 72	80	Black	•			•	•			
VES	CASTILLIAN GRAY, Metallic (Medium) BLACK MINK, Metallic	63 80	80	Black	•			•	•			
NOT-C	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	64 72	65	White	•			•	•			
NON-REVERSIBLE TWO-TONES EXTRA COST OPTION	BEALE ST. BLUE, Metallic (Medium) BLACK MINK, Metallic	64 80	65	White	•			•	•			
SIBLE SST (REGATTA BLUE, Metallic (Dark) ASCOT GRAY, (Light) REGATTA BLUE, Metallic (Dark)	65 65	65	White	•			•	•			
EVERS A CC	BLACK MINK, Metallic HUNTER GREEN, Metallic (Dark)	71 80	65	White	•			•	•			
N-RI EXTR	BLACK MINK, Metallic WILLOW GREEN, Metallic (Medium)	75 80	71	White		•	•	•		•	•	
16 NO	FROST WHITE WILLOW GREEN, Metallic (Medium)	75 72	75	Black		•	•	•		•	•	
=	BLACK MINK, Metallic POMPEII YELLOW	75 80	75	Black		•	•	•		•	•	
}	FROST WHITE POMPEII YELLOW	76 72	75	Black			•	•			•	
	BLACK MINK, Metallic	80	75	Black			•	•			•	
	BUTTERNUT BEIGE, Metallic (Medium) FROST WHITE	77 72	78	Black		•		•		•		
	BUTTERNUT BEIGE, Metallic (Medium) BLACK MINK, Metallic	77 80	78	Black		•		•		•		

1969 REBEL SST SEAT, TRIM AND COLOR AVAILABILITY			IM PE	CLOTH—(Std.) VINYL (Opt.) (Std. on Wagon "CLOISTER" "VENTILAIR"							s)		
		1	IIM .ORS	PLATINUM	BLUE	BROWN	AVOCADO	PLATINUM	BLUE	RED	BEIGE	AVOCADO	YELLOW
MODELS	SEAT TYPES AVAILABLE		ODES	972	973	976	977	972	973	975	976	977	979
DOOR SEDAN	BENCH CUSHION—NON-RECLINING BACK (Standard Individual Cushion—Individual Reclining		†!	A C	C	C	A_C	B	0		D	D	-
DOOR	BENCH CUSHION-NON-RECLINING BACK (Sto	1.)		٥	-	-		В	В		В	В	
T. WAG.	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING		pt.)	С	С	С	C	D	D		D	D	L .
DOOR DOOR TOP	BENCH CUSHION—NON-RECLINING BACK (St. INDIVIDUAL CUSHION—INDIVIDUAL RECLININI BUCKET SEAT—RECLINING BACK (Opt.)		pt.)	C E	C	C	C	В D F	B D	B D F	B		B D F
•	EXTERIOR COLORS	BODY COLOR	WHEEL* COLOR		OP1			NT" GRA 2BLACK,		L COVE			
2	MATADOR RED	39	39	•1				•ı		0 1			<u> </u>
SOLID COLORS—STANDARD	ASCOT GRAY, (Light) CASTILLIAN GRAY, Metallic (Medium)	62	80 80	●2 ●2	●2 ●2	 		● 2 ● 2	O 2	•1 •1			-
	BEALE ST. BLUE, Metallic (Medium)	64	65	•2	●2			● ₂	●2_		<u> </u>		1
-ST	REGATTA BLUE, Metallic (Dark) ALAMOSA AQUA, Metallic (Medium)	65	65	•2	●2			Q 2	●2				
RS-	HUNTER GREEN, Metallic (Medium)	68 71	68 71	-1 -1		•1	1	•1 •1	 	-	•1	• 1	•
į į	FROST WHITE	72	80	●2	●2	•1	•i	●2	•2	• 1	●1	1	•
8	WILLOW GREEN, Metallic (Medium) POMPEII YELLOW	75 76	75 75	O 1		•1	•1	O 1			• i	•1 •1	•
유	BUTTERNUT BEIGE, Metallic (Medium)	77	78	●1 ●1		•ı	•1	•1 •1			•1	<u> </u>	_
108	CORDOBA BROWN, Metallic (Dark)	78	78	•1		•1		0 1	Ī		•1		
14	BITTERSWEET ORANGE, Metallic BLACK MINK, Metallic	79 80	79 80	O 1		●1		• • i	ļ		1	•1	
-	ASCOT GRAY, (Light)	62		•2	02	1	• i	•2	O 2	1	• 1	1	
ONE	CASTILLIAN GRAY, Metallic (Medium)	63	80	•	•			•	•	•			L.
	BEALE ST. BLUE, Metallic (Medium) REGATTA BLUE, Metallic (Dark)	64 65	65	•	•			•	•				
RSI PPT	WILLOW GREEN, Metallic (Medium)	75	75	•	-		•	•		 		•	
10 TWO-TONE REVERSIBLE E.C. OPTION	POMPER YELLOW	76	/3	_			-		-				
	BUTTERNUT BEIGE, Metallic (Medium) CORDOBA BROWN, Metallic (Dark)	77 78	78	•		•		•			•		
	BLACK MINK, Metallic/FROST WHITE	80 / 72	80	•	•	•	•	•	•	•	•	•	•
	MATADOR RED/ASCOT GRAY, (Light) MATADOR RED/BLACK MINK, Metallic	39 / 62	39 39	•			ļ	•		•			
	ASCOT GRAY, (Light)/BLACK MINK, Metallic	62 / 80	80	•	•		 	•	•			<u> </u>	<u> </u>
Ì	CASTILLIAN GRAY, Metallic (Medium)	63	80	•	•			•	•	•			
ŀ	FROST WHITE CASTILLIAN GRAY, Metallic (Medium)	63 72	-	ļ			ļ		-				\vdash
1	BLACK MINK, Metallic	80	80	•	•			•	•	•			_
ļ	BEALE ST. BLUE, Metallic <i>(Medium)</i> FROST WHITE	64 72	65	•	•			•	•				
ŀ	BEALE ST. BLUE, Metallic (Medium)	64	65	•	•	-		•	•	1	-		
-	BLACK MINK, Metallic	80	03	_	_				_		-		-
<u> </u>	REGATTA BLUE, Metallic (Dark) ASCOT GRAY, (Light)	65 62	65	•	•			•	•				
TWO-TONE NON-REVERSIBLE EXTRA COST OPTION	REGATTA BLUE, Metallic (Dark)	65	65	•	•			•	•				
N N N	BLACK MINK, Metallic ALAMOSA AQUA, Metallic (Medium)	68 80	00			-	-		-		+		+
PTI F	FROST WHITE	72	68	•				•	L	ļ			\perp
NO L	ALAMOSA AQUA, Metallic (Medium) BLACK MINK, Metallic	68 80	68	•				•					
NO	HUNTER GREEN, Metallic (Dark)	71	71	•		•	•	•	<u> </u>		•	•	١.
A C	BLACK MINK, Metallic WILLOW GREEN, Metallic (Medium)/WHITE	75 / 72	75	•	<u> </u>	•		•	<u> </u>		•	•	+-
TR.	WILLOW GREEN, Metallic (Medium)	75 / 75	75						-			+ 💆	
× a	BLACK MINK, Metallic	80	[•	ļ	ļ			ļ	ļ	ļ	-	
23 T	POMPEII YELLOW/FROST WHITE POMPEII YELLOW/BLACK MINK, Metallic	76 / 72	75 75	•			•	•	 	-	 	•	
7	BUTTERNUT BEIGE, Metallic (Medium)	77	78	•		•	†					T -	T
	FROST WHITE BUTTERNUT BEIGE, Metallic (Medium)	77	78	•		•	-	•					+
l	BLACK MINK, Metallic	80	/**			_	ļ	ļ <u> </u>		ļ		<u> </u>	-
	CORDOBA BROWN, Metallic (Dark) ASCOT GRAY, (Light)	78 62	78	•	1	•		•			•		
t	CORDOBA BROWN, Metallic (Dark)/WHITE	78 / 72	78	•		•		•	ļ		•		
[CORDOBA BROWN, Metallic (Derk) BLACK MINK, Metallic	78 80	78	•		•		•			•]	
	CALANDA DILITORA, DIRECTALING	J 00	1	11	L		1	И	L	L	1		+
ŀ	BITTERSWEET ORANGE, Metallic/WHITE BITTERSWEET ORANGE, Metallic	79 / 72	79	•			L	•	L	<u>L</u>	•	L	<u>L</u>

1969 REBEL Comparative Dimensions MID-SIZE AUTOMOBILES

4-DR. SEDANS

	Re '69	bel '68	Torino Fairlane '69 ** '68		Chevelle		Belv-	edere * '68	Tempest '69** '68		
Wheelbase	114.0	114.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	
Length	197.0	197.0	201.1	201.1	200.9	201.1	202.7	202.7	205.5	204.7	
Width	77.2	77.2	74.8	74.5	76.0	75.7	76.4	76.4	75.8	74.8	
Height	54.6	54.6	54.1	55.0	53.5	53.3	55.4	54.7		52.5	
Front Overhang	31.9	31.9		35.9		37.5		33.6		40.1	
Rear Overhang	51.1	51.1		49.2		47.6		53.1		48.6	
Front Tread	60.0	58.2	58.8	58.8	59.0	59.0		59.5	61.0	60.0	
Rear Tread	60.0	58.5	58.5	58.9	59.0	59.0		58.5	60.0	60.0	
Turning Circle	37.5	37.5		41.5		41.0		40.6		40.9	
Head Room, Front	39.8	39.8	38.6	38.5		38.2	38.6	38.6		38.5	
Head Room, Rear	37.8	37.8	37.4	37.5		37.1	37.4	37.4		37.1	
Leg Room, Front	42.0*	42.6	42.4	42.5		42.7	41.9	41.9		41.2	
Leg Room, Rear	38.6	38.6	36.0	36.0		34.7	36.3	36.3		33.8	
Total Leg Room	80.6	81.2	78.4	78.5		77.4	78.2	78.2		75.0	
Hip Room, Front	60.3	60.3	59.5	59.5		59.6		60.4		59.9	
Hip Room, Rear	60.4	60.4	59.5	59.5		59.6		60.4		59.9	
Shoulder Room, Front	60.0	60.0	58.0	58.0		58.1	58.1	58.1		58.8	
Shoulder Room, Rear	60.0	60.0	58.0	58.0		57.5	58.1	58.1		58.6	
Usable Luggage Cap.	18.2	18.2	16.2	16.2		12.8		15.9		13.1	

^{*} Due to suspended accelerator pedal

^{**} Anticipated dimensions

1969 REBEL Comparative Dimensions

MID-SIZE AUTOMOBILES 4-DR. WAGONS

	Torino Rebel Fairlane		Chevelle	Belvedere	Tempest			
	169	'68	<u>'69+</u>	'68	169 168	169 168	169+	<u>'68</u>
Wheelbase	114.0	114.0	113.0	113.0	116.0	117.0	112.0	116.0
Length	198.0	198.0	203.9	203.9	207.1	208.0	211.0	211.0
Width	77.2	77.2	74.6	74.1	75.7	78.0	76.3	74.8
Height	55.1	55.1	56.1	56.0	55.2	59.5		54.5
Front Overhang	31.9	31.9		35.9	37.5	33.4		40.1
Rear Overhang	52.1	52.1		55.1	53.6	57.6		54.9
Front Tread	60.0	58.2	58.8	58.8	59.0	59.5	61.0	60.0
Rear Tread	60.0	58.5	58.5	58.9	59.0	59.2	60.0	60.0
Turning Circle	37.5	37.5		41.5	41.0	40.9		40.9
Head Room, Front	39.8	39.8	38.6	38.5	38.1	39.4		38.0
Head Room, Rear	39.6	39.6	39.2	39.0	38.3	34.0		38.3
Leg Room, Front	42.0	42.6	42.4	42.0	42.7	41.9		42.7
Leg Room, Rear	38.6	38.6	34.5	34.0	34.8	39.3		34.8
Total Leg Room	80.6	81.2	76.9	76.0	77.5	81.2		77.5
Hip Room, Front	60.3	60.3	59.5	59.0	59.6	60.4		59.7
Hip Room, Rear	60.4	60.4	59.5	58.8	59.4	60.4		59.4
Shoulder Room, Front	60.0	60.0	58.0	57.5	58.3	58.1		58.3
Shoulder Room, Rear	60.0	60.0	58.0	57.5	57.4	58.1		57.4
Usable Luggage*	91.1	91.1	85.2	85.2	84.0	84.9		83.1

^{*} Underfloor storage capacity not included

^{**} Due to suspended accelerator pedal + Anticipated dimensions

1969 REBEL Comparative Dimensions

MID-SIZE AUTOMOBILES
2-DR. HARDTOPS

	Rebe	el '68	Torin Fairla '69** '		Chevelle	Belved Satell		Tempest 169** 168		
Wheelbase	114.0	114.0	116.0	116.0	112.0	116.0	116.0	112.0	116.0	
Length	197.0	197.0	201.1	201.0	197.1	202.7	202.7	201.5	204.7	
Width	77.2	77.2	74.6	73.9	75.7		75.2	75.8	74.8	
Height	53.5	53.5	52.8	53.5	52.7		52.5		54.4	
Front Overhang	31.9	31.9		35.9	37.5		33.4		40.1	
Rear Overhang	51.1	51.1		49.2	47.6		33.6		48.6	
Front Tread	60.0	58.2	58.8	58.8	59.0		59.5	61.0	60.0	
Rear Tread	60.0	58.5	58.5	58.9	59.0		59.2	60.0	60.0	
Turning Circle	37.5	37.5		41.5	39.4		40.6		40.9	
Head Room, Front	38.7	38.7	37.7	37.5	37.4		37.3		38.5	
Head Room, Rear	36.5	36.5	36.6	36.0	36.4		31.5		37.1	
Leg Room, Front	42.0*	42.6	42.4	42.5	42.7		41.8		41.5	
Leg Room, Rear	35.5	35.5	33.7	33.0	32.2		33.1		33.8	
Total Leg Room	77.5	78.1	76.1	75.5	74.9		74.9		75.3	
Hip Room, Front	60.3	60.3	59.0	59.0	59.6		60.6		59.6	
Hip Room, Rear	59.5	59.5	58.0	58.5	58.3		60.6		59.0	
Shoulder Room, Front	60.0	60.0	57.5	57.5	58.1		58.1		58.8	
Shoulder Room, Rear	59.0	59.0	56.5	56.5	56.8		58.1		58.7	
Usable Luggage	18.2	18.2	16.2	16.2	14.6		15.6		13.1	

^{*} Due to suspended accelerator pedal

^{**} Anticipated dimensions

1969

Intermediate

Competition


Chevelle - Minor* (new in 1968)


Torino - Minor* (new in 1968)

Fairlane - Minor* (new in 1968)

Belvedere - Minor* (new in 1968)

* Trim & Ornamentation Or Minor Sheet Metal





<u>1969</u>

<u>AMX</u>

TABLE OF CONTENTS

New Features	Page
- Product Highlights	1
- New Exterior and Interior Styling Features	2
- New Chassis and Mechanical Features	2
- New Optional Equipment and Optional Equipment Changes	2,3
- Model and Series Availability	3
- New Safety Features	3
1969 Product	
- Standard Safety Features	4,5
- Series Features and Differentials	6
- Retained Standard Features	7,8
- Engine, Transmission and Rear Axle Availability	9
- Tire Availability	10
- Factory-Installed Options	10-12
- Dealer-Installed Options and Accessories	13
- Exterior Colors, Vinyl Roofs, Two-Tone Combinations and Interior Trim Selections	14
- Dimensions	15

Product Highlights

The 1969 AMX is basically unchanged from the 1968 model as it was introduced in mid 1968. However, new features have been added to enhance the sports car image it has deservedly received.

The exterior remains unchanged with the exception that the choice of over-the-top racing stripe colors has been increased from two to five. The stripe remains as a part of the optional "Go" packages (as in 1968) and is not offered separately. Also, 12 exterior colors are offered with 10 of these new. A new styled steel wheel which incorporates a trim ring is offered optionally.

Interior changes are more pronounced. A new 140 MPH speedometer and large face 0-8000 RPM tachometer are standard. A new grab handle above the glove box and a wood-grained applique on the center panel of the instrument panel are standard. "Ventilair" vinyl remains the standard interior, but an additional color is added, Platinum. A new convenience tray between the seats is added (with 4-speed transmission only). New leather seat trim is offered optionally in two colors, Charcoal and Saddle. This leather trim includes seat inserts, bolsters, and seat back side trim. The separately offered headrests, when ordered with the leather seat option, also will be covered in leather.

A new console which incorporates a stowage compartment is included with the optional Shift-Command automatic transmission. A center cushion and armrest are offered as a separate option with the standard 4-speed manual floor shift.

New "Command Air" ventilation system is offered optionally and incorporates the air-conditioning outlets and a high-capacity, three-speed blower motor. Therefore, this system can be easily and less expensively converted to air conditioning at a later date.

A detailed description of the 1969 AMX follows.

New Styling Features

Exterior:

- NEW additional colors (3) for over-the-top racing stripe which is included in the optional "Go" packages
- NEW 10 exterior colors (2 carryover-Red and White)
- NEW paint treatment on standard "MAG" STYLED wheel covers

Interior:

- NEW passenger grab handle above the glove box
- NEW wood-grained applique on center panel of instrument panel
- NEW 140 MPH speedometer and 0-8000 RPM large face tachometer
- NEW door trim panels with bright trim and wood-grain applique
- NEW 100% nylon, cut-pile carpet (running change for late 1968)
- NEW wood-grained applique on armrests
- NEW additional "Ventilair" seat trim color, Platinum
- NEW bright pedal trim
- NEW convenience tray between the seats (with 4-speed transmission only)

New Chassis and Mechanical Features

- NEW suspended accelerator pedal
- NEW "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace
- NEW "Clear-Power 24" battery with transparent, light-weight polypropylene case
- NEW 55-amp alternator (replaces 40-amp) with "All-Season" air conditioning option
- NEW 6" wheel rim width standard (6 x 14 wheel)

New Optional Equipment

- NEW leather seat trim offered in Charcoal or Saddle. Leather application includes seat inserts, bolsters and seat back side trim. The separately offered headrests, when ordered with the leather seat option, also will be in leather
- NEW "Mag" Styled Wheels with chrome trim rings and painted spiders (same wheel is utilized as in 1968 but with different styling)
- NEW wood-grained console with stowage area is included in Shift-Command automatic transmission option
- NEW armrest and center cushion (available with 4-speed floor transmission only)
- NEW "Command Air" ventilation system featuring air-conditioning outlets high-capacity, three-speed blower motor
- NEW the molded fiberglass headliner (currently used on Javelin, Rebel and Ambassador) replaces the present "Kivar" type headlining. This will be an early running change

1969 AMX Optional Equipment Changes

Three additional colors are available for the over-the-top racing stripe which is a part of the option "Go" packages. New colors - Red, Blue, Silver; carryover colors - Black and White

Rally-Pak is changed to include a vacuum gauge with the oil/amp gauge - DEALER INSTALLED

Clock is now available in small instrument panel recess to the left of the speedometer as tachometer moves to large recess to the right of speedometer

Model Availability

Body Style	Model
Sports Coupe	1
Total	1_
1968 Models Discontinued - No	ne

New Safety Features

1968 Models Added - None

Redesigned radio push buttons for larger corner radii to reduce head impact hazard

Two front seat headrests become standard

"SAFE-COMMAND" Safety Features (Standard unless otherwise noted)

Construction

Energy-absorbing front end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Padded "A" pillars and roof headers
Molded ceilings
Padded instrument panel
Break-away front ash receiver
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double-safety brake system with self-adjusting feature Brake system warning light Mechanical stoplight switch Corrosion-resistant brake lines and fittings Safety-rim wheels Tread-wear indicators molded into tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts

Safety-seat and shoulder-belt anchorages

Safety-seat anchorages

Automatic lock with manual release folding front seats

Front seat headrests

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Locks and Door Handles


High-strength door locks
"Pre-Set-Impulse" door locking system
Safety-shaped interior door handles
Flush-contoured outside door handles
Two key locking system


Accessories and Equipment

4-way hazard warning signals
Lane changer feature for turn signals
Safety vanity mirror (opt.)
Automatic back-up lights
Shift-command for automatic or manual operation on automatic transmission (opt.)
Day/Night inside rearview mirror with twin pivots and protected edges
Rearview mirror, exterior, left side
Windshield washers - manual (electric opt.)
Non-glare windshield wipers
Vacuum power booster windshield wiper motors (electrical opt.)
Defrosters and defoggers
Side-of-Car safety markers, front and rear
"Guard-Glo" head lamps
Parking lights illuminated with headlights

Product Features

Exterior:





Retained Standard Features

Body:

All-welded, single-unit body construction (safe, strong, durable)
("Advance Unit Construction")

Twin hood blisters.

Circular AMX pillar emblems

Reclining "Ventilair" vinyl trimmed bucket seats

Foam-seat cushions

Weather-Eye heater

Fresh air "flo-thru" ventilation

Armrests with new wood-grain applique

Cigarette lighter

Full-length carpeting

Compartment lights

Wood-grain-look sports steering wheel

Bright rocker panel and side window moldings

Bright dual-exhaust outlets

Molded ceiling

Padded "A" pillars and roof headers

Hood insulation.

Mechanical:

E70 x 14 wide profile fiberglass belted black side wall tires (with Collapsible Space Saver Spare)

Direct-action, independent coil-spring front suspension with heavy-duty springs and shock absorbers

Heavy-duty front sway bar

Rear suspension with traction bars and heavy-duty semi-elliptical leaf springs and shock absorbers

Hypoid gear rear axle

Recirculating ball-screw steering gear; turning diameter-33.5 ft.; standard gear-24.1:1 overall ratio and 5.1 turns lock-to-lock; optional "Quick-Ratio" gear-19.3:1 overall ratio and 4.0 turns lock-to-lock; optional power gear-18.1:1 overall ratio and 3.8 turns lock-to-lock

Self-adjusting brakes with bonded linings

Brake diameter 10"; lining area 167.5 square inches

Anti-smog positive crankcase vent

"Engine-Mod" exhaust emission control system with automatic transmission "Air-Guard" system with 4-speed manual transmission

RETAINED STANDARD FEATURES (cont.)

Electrical:

Standard 35-amp electronic alternator and sealed transistorized voltage regulator (NEW - 55-amp with air conditioning)

NEW - "Clear-Power 24" Intercell Battery (was Power-Guard); 50-amp standard on "290" V-8, 60-amp standard on other V-8's. Name and type of battery changed but electrical characteristics remain the same 70-amp battery optional Dual horns
Single head lamps

		Rear A	Axles**
Engine	Transmission	Standard	Optional*
225 HP Typhoon V-8 290 CID	4-Speed Manual; Floor (std.) Shift-Command Automatic;	3.54:1	WA 400 AND
Standard	Console (opt.)	2.87:1***	3.15:1
280 HP Typhoon V-8 343 CID	4-Speed Manual; Floor (std.) Shift-Command Automatic; Console (opt.)	3.54:1 2.87:1***	3.15:1 3.15:1
Optional	Console (opt.)	2.07:1***	5, 15:1
315 HP AMX V-8 390 CID	4-Speed Manual; Floor (std.) Shift-Command Automatic;	3,54:1	3.15:1
Optional	Console (opt.)	2.87:1***	3.15:1

^{*} Available at no extra cost

^{**} Also 3.73:1, 3.91:1, 4.10:1, 4.44:1, and 5.00:1 available as extra cost DEALER-INSTALLED options

^{*** 3.15:1} is standard with "Go" packages

Tire Availability

Τ	IRE	SIZES

E70 x 14, 4-Ply Rated 2-Ply "Polyglas" (Fiberglass Belted)
Black

STD

E70 x 14, 4-Ply Rated 2-Ply "Polyglas" (Fiberglass Belted)
Red Line OPT

Factory-Installed Options

Symbols:

E - Extra Cost NA - Not Available STD - Standard

Paint and Upholstery:

Special Application of AM Colors Leather Seat Upholstery	<u>Code</u> -	AMX E E
Engines:		
290 CID, 225 HP Typhoon V-8 (4-barrel carburetor)	225	STD
343 CID, 280 HP Typhoon V-8 (4-barrel carburetor)	280	E
390 CID, 315 HP AMX V-8 (4-barrel carburetor)	315	E

1969 AMX FACTORY-INSTALLED OPTIONS (cont.)

Performance Groups and Items	Code	\underline{AMX}
343 "Go" Package (includes 343 CID, 280 HP Engine, Power Front Disc Brakes, E-70 x 14 Red-Line Fiberglass-Belted Wide-Profile Tires, Special-Duty Suspension, Twin-Grip Differential, Heavy-Duty Engine Cooling System and Over-The-Top Racing Stripe in Choice of Black, White, Red,		
Blue or Silver) 390 "Go" Package (same as above except 390 CID,	PP1	E
315 HP engine)	PP2	E
Twin-Grip Differential	TGD	E
Quick-Ratio Manual Steering	QRM	E
Transmissions:		
Shift Command, Floor Shift with Console	С	E
4-Speed Full-Synchro, Close Ratio Floor Shift	M	STD
Power Assists:		
Power Steering (recommended with air conditioning)	PS	E
Power Brakes	PB	E
Power Disc Brakes	DB	Ē
		_
Seating Items:		
Center Armrest and Center Cushion (with 4-speed transmission only)	CAS	E
Radios and Tape Equipment:		
AM Push-Button Radio	RP	E
AM-FM Push-Button Radio	RFM	E
Stereo 8 Tape Player with Manual AM Radio and Two		
Rear Speakers (NA with above radios)	STR	E
Appearance Items:		
Turbo-Cast Wheel Covers	TC	E
Wire-Wheel Covers	WC	E
"MAG"-STYLED Wheels - 6" Rim Width, 14" Wheels	MAG	E
Bumper Guards - Rear Only	BGR	E

1969 AMX FACTORY-INSTALLED OPTIONS (cont.)

Heating and Air Conditioning:	Code	AMX
All-Season Air Conditioning (includes heavy-duty engine cooling system and 55-amp alternator) "Command Air" ventilation system (includes all outlets	AC	E
used with the All-Season air conditioning system and high-capacity, three-speed blower motor) Solex Glass - Windshield Only	CA SW	E E
Solex Glass - All Windows (recommended with air conditioning)	sG	E
Convenience Groups and Items:		
Visibility Group (includes clock, remote-control left outside mirror, visor-vanity mirror, electric variable-speed windshield wipers and electric washers)	VG	E
Light Group (includes trunk light, glove box light, parking brake warning light and lights-on buzzer)	,	
Adjust-O-Tilt Steering Wheel	LG ASW	E E
Heavy-Duty Equipment:		
Handling Package, Special Duty (includes higher- rate front and rear springs and 1-3/16" piston		
diameter shocks) Heavy-Duty Cooling System (includes heavy-duty	HP	E
radiator, power-flex fan and fan shroud)	HDC	E
Heavy-Duty 70-Amp Battery Heavy-Duty 70-Amp Battery and 55-Amp Alternator	HB	E
(for car less air conditioning)	4A7	E
Engine-Block Heater	ВН	E
Miscellaneous:		
Undercoating	UN	E

Dealer-Installed Accessories

Tissue Dispenser Compass - Illuminated Litter Basket and Tissue Dispenser License Plate Frames Rubber Floor Mats (pairs) Fuel Filter Mileage Minder - Extra Fuel Filtration Rear Deck Luggage Rack Ski Carrier - Top Mounted AM Radios FM/AM Radios Radio and Tape Player Kit Locking Gas Caps Door Edge Guards (2 piece set) Window Edge Moldings Visor-Vanity Mirror Remote-Control Mirrors Right Hand Rearview Mirrors Engine Block Heaters - V-8 Bumper Guards - Rear Only Wire-Wheel Covers Turbo-Cast Wheel Covers Air-Conditioning Kits Courtesy and Glove Box Light Kits Parking Brake and Headlight, Warning Buzzer Kits Power Brake Kits Rear Window Defogger Kit Trunk-Light Kit Fuse Kit Protective Trim Molding

Dealer-Installed Performance Items

Cold Intake Manifold Conversion Kit
Oil Pressure Ammeter Gauge and Vacuum Gauge Kit - Rally-Pak
Clock Kit
High-Performance Camshaft Kit
Special Ratio Rear Axle Gear Sets
Heat Blocker Manifold Gasket
Forged Connecting Rods
High-Riser Aluminum Manifold and Carburetor
"MAG"-STYLED Wheels
Spoiler

For other performance items, see AM Performance Activities Manual

	1969				SERIE	s				MX" std.)		11	MX'' (pt.)
	A.M.X.				TRIM				VII VENT"	NYL ILAIR'	,	LEA	THER
SEAT,	FRIM and COLOR AVAILABI	LITY			TRIM COLO			CHARCOAL	PLATINUM	RED	SADDLE	CHARCOAL	SADDLE
MODELS	SEAT TYPES AVAILABLE			"T	COL	DES		931	932	935	936	931	936
SPORT COUPE	BUCKET SEAT—RECLINING BACK (Std.)						†	F	F	F	F	L	L
				RACII	NG ST	RIPES	**						
	EXTERIOR COLORS	BODY COLOR	BLACK	WHITE	RED		SILVER Metallic						
20	MATADOR RED	39	•	•			•	•	•	•	•	•	•
-STANDARD	CASTILLIAN GRAY, Metallic (Medium)	63	•	•	•	•	•	•	•	•	•	•	•
N N	BEALE ST. BLUE, Metallic (Medium)	64	•	•			•	•	•		•	•	•
. ¥	REGATTA BLUE, Metallic (Dark)	65	•	•		•	•	•	•		•	•	•
i I	ALAMOSA AQUA, Metallic (Medium)	68	•	•		T	•	•	•		•	•	•
COLORS	HUNTER GREEN, Metallic (Dark)	71	•	•			•	•	•		•	•	•
2	FROST WHITE	72	•		•	•	•	•	•	•	•	•	•
9	WILLOW GREEN, Metallic (Medium)	75	•	•		T		•	•		•	•	•
	POMPEII YELLOW	76	•	•				•	•		•	•	•
SOLID	BUTTERNUT BEIGE, Metallic (Medium)	77	•	•				•	•		•	•	•
1	BITTERSWEET ORANGE, Metallic	79	•	•				•	•		•	•	•
12	BLACK MINK, Metallic	80		•	•	•	•	•	•	•	•	•	•

^{**}Stripes are available only in optional performance ''GO'' packages.


[†]Letter codes identify fabric with seat type.

1969 AMX
Comparative Dimensions

	AM	(Y	Com	vette	Triumph TR-250
	169	168_	169**		169 168
Wheelbase	97.0	97.0	98.0	98.0	88.0
Length	177.2	177.2	182.5	182.1	156.0
Width	71.6	71.6	69.0	69.2	58.0
Height	51.7	51.7	47.8	47.8	50.0
Front Overhang	39.7	39.7		40.2	
Rear Overhang	40.5	40.5		43.9	
Front Tread	58.4	58.4	58.7	58.3	49.0
Rear Tread	57.0	57.0	59.4	59.0	48.5
Turning Circle	33.6	33.6		39.9	34.0
Head Room	37.2	37.2		36.2	
Leg Room	42.7*	43.3		43.0	
Hip Room	57.6	57.6		48.8	
Shoulder Room	55.0	55.0		46.9	
Usable Luggage Cap.	9.6	9.6			

^{*} Due to suspended accelerator pedal

^{**} Anticipated dimensions



Lowelin O

SST

232|SIX



343



<u>1969</u>

JAVELIN

TABLE OF CONTENTS

New Features	Page
- Product Highlights	1
- New Exterior and Interior Styling Features	2,3
- New Chassis and Mechanical Features	3
- New Optional Equipment and Optional Equipment Changes	3,4
- Model and Series Availability	4
- New Safety Features	5
1969 Product	
- Standard Safety Features	5,6
- Series Features and Differentials	7-10
- Retained Standard Features	11,12
- Engine, Transmission and Rear Axle Availability	13
- Tire Availability	14
- Factory-Installed Options	15-17
- Dealer-Installed Options and Accessories	18
- Exterior Colors, Vinyl Roofs, Two-Tone Combinations and Interior Trim Selections	19
- Dimensions	20
- Competition	21

Product Highlights

The 1969 Javelin features a new Twin-Venturi, injection-molded ABS grille which utilizes the new bull's-eye emblem of the Javelin. This emblem is also used with a small Javelin script nameplate on both "C" pillars. A new racing stripe of two-color design (two wide outside stripes in the major color are accented by a narrow center stripe of a second color) will be offered in five color combinations. This stripe will be offered as a separate option (deleted as a component of the "Go" package). The "Go" packages will feature twin hood scoops of almost full hood length.


A new floor-mounted shift mechanism is standard with the three-speed synchromesh transmission and the standard 232 CID engine or optional 290 CID 200 HP engine. Column shift mechanism is no longer available with the above engine-transmission combinations as of 1969.

A new grab handle is added to the instrument panel just above the glove box. The SST also gets a wood-grained applique over the center portion of the panel and on the front door armrests. A convenience tray between the seats and bright pedal trim are also added to the SST. A "Command Air" instrument panel ventilation system will be offered optionally to enhance the "flo-thru" system ("flo-thru" ventilation remains standard in all Javelins). The "Command Air" system incorporates the air conditioning outlets and a high-capacity, three-speed blower motor and therefore, can be easily and less expensively converted to air conditioning at a later date. A new console featuring a stowage compartment and an ash receiver and courtesy light for the rear compartment will also be offered optionally. This console is available with column shift or automatic console-mounted shift. The interior trim choices are increased with Javelin now offering two standard colors in vinyl and the SST offering five cloth choices (Blue and Platinum are added) and five "Ventilair" vinyl choices (Blue and Platinum are added). A new center armrest and cushion will be offered optionally not available with console. Further new options are detailed in that section.


A detailed description of the 1969 Javelin follows.

1969 Javelin

New Exterior Styling Features



New Interior Styling Features



New Exterior Styling Features

NEW - bull's-eye emblem on grille and "C" pillar

NEW - Javelin nameplate in script on hood, "C" pillar and lower deck panel overlay

NEW - 10 Exterior paint colors (plus two carryover colors)

NEW - paint theme on hub caps and wheel covers

New Interior Styling Features

NEW - grab handle on dash above glove box door

NEW - accent colored center panel on instrument panel (released for late 1968 model)

NEW - location for Javelin nameplate. Now on center panel (released for late 1968 model)

NEW - door trim panels with deeper dielectric pattern for more padded look

NEW - seat trim designs and cloth patterns (vinyl carryover)

New Chassis and Mechanical Features

NEW - floor shift mechanism standard with base engine (232 CID, 145 HP); also with optional base V-8 (290 CID, 200 HP)

NEW - "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace

NEW - "Clear-Power 24" battery with transparent, light-weight polypropylene case

NEW - suspended accelerator pedal

NEW - 55-amp alternator (replaces 40-amp) with "All-Season" air-conditioning option

New Optional Equipment

NEW - 14" wheels with 6" rims (standard with "Go" Package) optional with V-8's

NEW - two color rally stripe. Stripe is composed of two wide outer stripes of a base color and a narrow center stripe of an accent color. Stripe is now a straight option and is no longer included in "Go" packages

NEW - hood scoops in flat black are now a part of the "Go" packages which remain as in 1968 except for the replacement of the stripe with the scoops. Also 6" rim width wheels become standard with "Go" package

NEW - center armrest and center cushion (not available with console)

NEW - wood-grained console is available with column or automatic floor shift (mandatory with the latter). Console features stowage, a rear seat courtesy light and a rear seat ash receiver

NEW OPTIONAL EQUIPMENT (cont.)

NEW - "MAG"-STYLED wheels. Similar to the 1968 chrome wheels but featuring a new paint theme and chrome trim rings

NEW - 140 MPH speedometer and large face tachometer. Not available separately and available with V-8 only

NEW - "Command Air" ventilation system featuring air-conditioning instrument panel outlets and high-capacity, three-speed blower motor

Optional Equipment Changes

NEW - paint theme on wheel covers 290 CID, 200 HP engine is no longer available with 4-speed transmission

No optional interior trim is available on the base Javelin because an additional trim was made standard on this model

NEW - hood scoops replace rally stripe in "Go" package as indicated above Both "Go" package and stripe can be ordered

Rally-Pak is changed to include a vacuum gauge or a clock-DEALER INSTALLED

Model Availability

Body Style	Javelin	Javelin SST	Total
2-Door Hardtop	6979-5	6979-7	2
Total	1	1_	2

1969 Models Discontinued - None

1969 Models Added - None

New Safety Features

Redesigned radio push buttons have larger corner radii to reduce head impact hazard

Two front seat headrests become standard on January 1, 1969

"SAFE-COMMAND" Safety Features (Standard unless otherwise noted)

Construction

Energy-absorbing front end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Padded pillars and roof headers
Molded ceilings
Padded instrument panel
Break-away front ash receivers
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double-safety brake system with self-adjusting feature Brake system warning light Mechanical stoplight switch

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Brakes and Wheels (cont.)

Corrosion-resistant brake lines and fittings Safety-rim wheels Tread-wear indicators molded into tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts

Rear shoulder-belt anchors installed

Safety-seat and shoulder-belt anchorages

Safety-seat anchorages

Automatic lock with manual release for folding front seats

Front seat headrests

Padded front seat back

Locks and Door Handles

High-strength door locks

"Pre-Set-Impulse" front door locking system

Safety-shaped interior door handles

Flush-contoured outside door handles

Two key locking system

Accessories and Equipment

4-way hazard warning signals

Lane changer feature for turn signals

Safety vanity mirror (opt.)

Automatic back-up lights

Shift-command for automatic or manual operation on automatic transmission (opt.)

Day/Night inside rearview mirror with twin pivots and protected edges

Rearview mirror, exterior, left side

Windshield washers - manual (electric opt.)

Non-glare windshield wipers

Vacuum power booster windshield wiper motors (electrical opt.)

Defrosters and defoggers

Side-of-Car safety markers, front and rear

"Guard-Glo" head lamps


Parking lights illuminated with headlights

1969 Javelin

Series Features

Javelin (Base):

Interior:



Accent in different colored vinyl (running change for 1968) Instrument Panel:

New

• seat trim patterns in two choices of "Basketweave" vinyl (Charcoal and Parchment) • door trim patterns with bright trim • 100% nylon cut-pile carpet (running change for late 1968)

• unique door trim panels

Javelin (Base) Features:

Exterior:

Bright trim around windshield and rear window

Bright hub caps with new paint theme

Twin line painted pin stripe

Javelin script on hood, "C" pillar and deck upper panel

 \underline{NEW} - bull's-eye emblem on ''C'' pillars and grille

Interior:

232 CID, 145 HP engine standard

NEW - two-color instrument panel treatment (running change for late 1968)

NEW - seat trim patterns in two choices of "Basketweave" vinyl, Charcoal and Parchment; one more than in 1968. Optional interiors are not offered (one was offered in 1968)


NEW - door trim panels with bright trim

NEW - 100% nylon cut-pile carpet (running change for 1968)


1969 Javelin

Series Differentials

Javelin SST:



Interior:



New

- unique door trim panels with wood-grain applique wood-grain applique on armrests
- "Glengarry" cloth seat trim in 5 colors or carryover "Ventilair" vinyl in 5 colors 100% nylon, cut-pile carpet (running change for late 1968)

Series Differentials

Javelin SST Over Javelin (Base)

Exterior:

Bright rocker panel moldings

Bright drip-rail moldings and lower window moldings

Bright "MAG"-STYLED wheel covers with new paint treatment

Bright scoop recessed moldings

SST emblem on front fenders to the rear of the wheelhouse openings

Interior:

NEW - wood-grain applique on instrument panel

NEW - door trim panels with wood-grain applique, bright trim and SST nameplates

NEW - wood-grain applique on armrests

NEW - seat trim patterns and new cloth designs

NEW - interior color choices in five colors in either cloth or vinyl (two more colors than in 1968)

NEW - between seat convenience tray

NEW - bright pedal trim

Reclining bucket seats

Wood-grained sports steering wheel

Retained Standard Features

Body:

All-welded, single-unit body construction (safe, strong, durable) ("Advanced Unit Construction")

Deep-Dip body rustproofing

Weather-Eye heater

Fresh-air "flo-thru" ventilation

Triple coated Lustre-Gard acrylic enamel (12 colors)

Dual paint stripes

Molded cushioned acoustical ceiling

Padded "A" pillars and roof headers

Curved "ventless" side glass

Injection-molded plastic grille and nylon headlight housings

Two position door checks

Front armrests

Cigarette lighter

Front ash receiver

Full-width carpeting

Formed-wire seat construction

Front seat foam cushion

Bucket seats

Compartment lights

Bin-type glove box with lock

Two coat hooks

Mechanical:

Direct-action, independent coil-spring front suspension with sway bar on V-8's

Rear suspension with semi-elliptical leaf springs

Hypoid gear rear axle

Self-adjusting brakes with bonded linings

Brake diameter for Sixes 9"; lining area 153.8 square inches

Brake diameter for V-8's 10"; lining area 167.5 square inches

Standard 4-ply-rating, 2-ply tires: 6.95×14 on Sixes, 7.53×14 on V-8's

Engine-oil filter, full flow

Fuel filters in tank and at carburetor-NEW-in-line filter just ahead of carburetor, was in fuel pump

Fuel-tank approximate capacity, 19 gallons

All-Season engine coolant

Anti-smog positive crankcase vent

"Engine-Mod" exhaust emission control system ("Air-Guard" on V-8's with manual transmission)

Automatic choke

Wheel discs standard on SST

RETAINED STANDARD FEATURES (cont.)

Electrical:

Dual horns

Standard 35-amp electronic alternator and sealed transistorized voltage regulator (NEW - 55-amp with air conditioning)

NEW - "Clear-Power 24" Intercell Battery (was Power-Guard); 50-amp standard on Sixes and "290" V-8's, 60-amp standard on "343" and "390" V-8's, 70-amp optional. Name and type of battery changed but electrical characteristics retained

Single head lamps

Engine, Transmission and Rear Axle Availability

		Rear Axle +			
	Standard	Opt. **			
3-Speed Manual; Floor (std.) Shift-Command Automatic:	3.08:1	3.31:1			
Column (opt.)	3.08:1	3.31:1			
3-Speed Manual; Floor (std.) Shift-Command Automatic;	3.15:1	ada dab 1999			
Column (opt.) Shift-Command Automatic;	2.87:1	3.15:1			
Column (opt.)	2.87:1	3.15:1			
4-Speed Manual;Floor (opt.)	3.54:1				
Shift-Command Automatic; Column (opt.) Shift-Command Automatic;	2.87:1***	3.15:1			
	2.87:1***	3.15:1			
4-Speed Manual; Floor (opt.)	3.54:1	3.15:1			
Shift-Command Automatic; Console (opt.) 4-Speed Manual; Floor (opt.)	2.87:1*** 3.54:1	3.15:1 3.15:1			
	Shift-Command Automatic; Column (opt.) 3-Speed Manual; Floor (std.) Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Column (opt.) 4-Speed Manual; Floor (opt.) Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Console (opt.) 4-Speed Manual; Floor (opt.) Shift-Command Automatic; Console (opt.) Shift-Command Automatic; Console (opt.)	Shift-Command Automatic; Column (opt.) 3-Speed Manual; Floor (std.) Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Column (opt.) 4-Speed Manual; Floor (opt.) Shift-Command Automatic; Column (opt.) Shift-Command Automatic; Console (opt.) 4-Speed Manual; Floor (opt.) Shift-Command Automatic; Console (opt.) 4-Speed Manual; Floor (opt.) Shift-Command Automatic; Console (opt.) Shift-Command Automatic; Console (opt.) Shift-Command Automatic; Console (opt.) Shift-Command Automatic; Console (opt.)			

^{*} Dual exhaust standard (available optionally on 225 HP engine, 280 HP engine and as part of "Go" packages)

^{**} Available at no extra cost

^{*** 3.15:1} standard with "Go" packages

⁺Also 3.73:1, 3.91:1, 4.10:1, 4.44:1, and 5.00:1 available as extra cost DEALER -INSTALLED options for V-8

1969 JAVELIN Tire Availability

TIRE SIZES	JAVELIN	
	SIX	<u>V-8</u>
6.95 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) Black	STD	NA
6.95 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) White	OPT	NA
7.35 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) Black	OPT	STD
7.35 x 14, 4-Ply Rated 2-Ply Rayon (or Vytacord) White	OPT	OPT
E70 x 14, 4-Ply Rated 2-Ply "Polyglas" (Fiberglass Belted) Extra Performance Red Line (With 6" Rim Width Wheel)	OPT	OPT

Factory-Installed Options

Symbols: E - Extra Cost			
NA - Not Available STD - Standard			Javelin
Paint and Upholstery:	Code	(Base)	SST
Special Application of AM Colors (covers paint colors not offered in a given line)		E	E
Vinyl Covered Roof - Black, White, Blue	BKV WHV	E	E
Engines:	BUV		
232 CID, 145 HP Torque-Command Six 290 CID, 200 HP Typhoon V-8 (2-barrel carburetor)	145 200	STD E	STD E
290 CID, 225 HP Typhoon V-8 (4-barrel carburetor)	225 280	E E	E E
343 CID, 280 HP Typhoon V-8 (4-barrel carburetor) 390 CID, 315 HP AMX V-8 (4-barrel carburetor) Dual Exhaust for 290 CID, 225 HP or 343 CID, 280 HP	315	NA	E
Engines (standard on 390 CID engine)	DE	E	E
Performance Groups and Items: 343 "Go" Package (includes 343 CID, 280 HP engine, dual-exhaust system, power front disc brakes, E-70 x 14 red-line fiberglass-belted wide-profile			
tires, 6" rim width wheels, handling package and dual hood scoops) 390 "Go" Package (same as above except 390 CID,	PPl	E	E
315 HP engine) Tachometer (large face in instrument panel) and	PP2	NA	E
140 MPH Speedometer (V-8 only)	INC	E	E
Twin-Grip Differential	TGD	E	E
Quick-Ratio Manual Steering	QRM	E	E
Transmissions:			
Shift Command, Column Shift Six Cylinder 290 CID V-8 (not available with 225 HP engine) 343 CID V-8 390 CID V-8 Shift Command, Floor Shift with Console (V-8 only	A	E E NA	E E E
but not available with 225 HP engine) 4-Speed Full-Synchro, Close Ratio Floor Shift	C	E	E
(for V-8 except 290, CID, 200 HP engine)	M	E	E

FACTORY-INSTALLED OPTIONS (cont.)

Power Assists:		Code	Javelin (Base)	Javelin SST
Power Steering (recommended v Power Brakes Power Disc Brakes (V-8 only)	vith air conditioning)	PS PB DB	E E E	E E
Seating Items:				
Reclining Bucket Seats Front Armrest and Center Cush Console (incorporates stowage and courtesy light for rear se column shift. Also included in Floor Mount	and also ash receiver eat. Available with	SB CAS CON	NA E E	STD E E
option) Radios and Tape Equipment:				
AM Push Button Radio AM/FM Push Button Radio Stereo 8 Tape Player and Manua rear speakers (NA with above		RP RFM STR	E E	E E
Appearance Items:				
Custom Steering Wheel Sports Steering Wheel Wheel Discs Turbo-Cast Wheel Covers	stripes) Black-Orange Accent White-Orange Accent Red-Silver Accent Blue-Silver Accent Gold-White Accent	BKS WHS RES BUS GOS CT SSW WD TC	E E E E STD NA E E E	E E E E NA STD STD E E
Wire-Wheel Covers "MAG"-STYLED Wheels (6" r Bumper Guards - Rear Only	im width, 14" wheels)	WC MAG BGR	E	E E
Heating and Air Conditioning:				
All-Season Air Conditioning (in engine cooling system and 5		AC	E	E

FACTORY-INSTALLED OPTIONS (cont.)

THOTOICI-INDITI-DED OF HOUSE		T 1!	T 1 i
			Javelin
Heating and Air Conditioning (cont.):	\underline{Code}	(Base)	SST
"Command Air" Ventilation System (includes all			
ventilation outlets used with the All-Season			
air-conditioning system and high-capacity,			
	CA	${f E}$	E
three-speed blower motor	SW	E	E
Solex Glass - Windshield Only	3 W	E.	نب
Solex Glass - All Windows (recommended with		_	_
air conditioning)	SG	E	E
Convenience Groups and Items:			
Visibility Group (includes remote-control left			
outside mirror, clock, visor-vanity mirror,			
electric variable-speed windshield wipers	VG	E	E
and electric washers)	٧G	E	مند
Light Group (includes trunk light, two courtesy			
lights, glove box light, parking brake warning			
light and lights-on buzzer)	LG	${f E}$	E
Adjust-O-Tilt Steering Wheel (not available with			
manual column shift)	ASW	E	E
Heavy-Duty Equipment:			
Handling Package, 6-Cylinder (includes front			
sway bar, heavy-duty springs and shocks)	HP	${f E}$	E
Handling Package, V-8 (includes heavy-duty			
sway bar, sway bar is standard on V-8's,			
	HP	E	E
heavy-duty springs and shocks)	***	_	-
Heavy-Duty Cooling System (includes heavy-duty	IIDC	E	E
radiator, power-flex fan and fan shroud)	HDC	E	E
Heavy-Duty 70-Amp Battery	HB	E	E
Heavy-Duty 70-Amp Battery and 55-Amp Alternator			
(for car less air conditioning)	4A7	E	E
Heavy-Duty Clutch with 3-Speed Transmission and			
V-8 Only		$\mathbf E$	E
•	вн	E	E
Engine Block Heater			E
Automatic Transmission Oil Cooler (standard with V-8)	ATC	. E	L
Miscellaneous:			
Insulation Group (includes undercoating and			_
hood insulation)	ING	E	E
Space-Saver Spare Tire	EST	E	E
•			

1969 JAVELIN

Dealer-Installed Accessories

Tissue Dispenser

Compass-Illuminated

Litter Basket and Tissue Dispenser

License Plate Frames

Spare Tire Covers

Rubber Floor Mats (pairs-front and rear)

Load Levelers

Fuel Filter Mileage Minder - Extra Fuel Filtration

Rear Deck Luggage Rack

Ski Carrier - Top Mounted

AM Radio

FM/AM Radio

Radio and Tape Player Kit

Rear Seat Speakers

Locking Gas Caps

Door Edge Guards (2 piece sets)

Window Edge Moldings

Visor-Vanity Mirror

Remote-Control Mirrors

Right Hand Rearview Mirrors

Engine Block Heaters - Six and V-8

Bumper Guards - Rear Only

Wheel Covers

Wire-Wheel Covers

Turbo-Cast Wheel Covers

Air-Conditioning Kits

Courtesy and Glove Box Light Kits

Parking Brake and Headlight Warning Buzzer Kits

Power Brake Kits

Rear Shoulder-Belt Kits

Trunk-Light Kit

Fuse Kit

Protective Trim Molding

Cold Intake Manifold Conversion Kit

Tachometer Kit

Oil Pressure Ammeter Gauge and Clock or Vacuum Gauge

Kit - Rally-Pak

Clock Kit

High-Performance Camshaft Kit

Dual Exhaust

Rear Traction Bars

Special Ratio Rear Axle Gear Sets

Heat Blocker Manifold Gasket

Forged Connecting Rods

High-Riser Aluminum Manifold and Carburetor

"MAG"-STYLED Wheels

Spoiler

For other performance items, see AM Performance Activities Manual

								SEI	RIES	JAV	ELIN				"JA	VELI	N S	ST"			
	1969							TF	IIM	1	NYL KET	,	_	LOTH NGAF					VINY NTIL		
SEAT,	JAVEL TRIM AND COLOR		_	۱B	ILI	ΤY			RIM LOR	CHARCOAL	PARCHMENT	CHARCOAL	PLATINUM	BLUE	RED	BEIGE	CHARCOAL	PLATINUM	BLUE	RED	BEIGE
MODELS	SEAT TYPES A	VAILA	BLE				1	Γ" (ODES	961	968	961	962	963	965	966	961	962	963	965	966
2 DR. HARDTOP	BUCKET SEAT—NON-RECLINING	BACK (Std.)						†	J	J										
2 DR. SST-HT	BUCKET SEAT—RECLINING BACK	(Std.)										E	E	Ε	E	E	F	F	F	F	F
EX	TERIOR COLORS	BODY COLOR	WHEEL	BLACK		RIP	Y.		STD. PAINT STRIPE												
	MATADOR RED	39	39	•	•				White	•1	•1	• 1	•1		•ı		•1	•1		•ı	
ARD	CASTILLIAN GRAY, Metallic (Medium)	63	80	•	•	•	•	•	Black	•1	•1	•1	•2	•2	•1		•1	•2	•2	● 1	
Ď	BEALE ST. BLUE, Metallic (Medium)	64	65	•	•				White	$lackbox{0.5}{2}$	●2	•2	●2	•2			lacksquare	•2	•2		
TAI	REGATTA BLUE, Metallic (Dark)	65	65		•		•	•	White	•2	●2	●2	•2	●2			lacksquare	●2	●2		
COLORS—STANDARD	ALAMOSA AQUA, Metallic (Medium)	68	68	•	•				Black	•1	●1	•i	•1				•1	•ı			
OR	HUNTER GREEN, Metallic (Dark)	71	71	•	•			•	White	lacksquare1	•1	$lackbox{lack}{lack}_1$	lacksquare1			•ı	lacksquare1	•ı			lacksquare
0	FROST WHITE	72	80	•		•	•	•	Black	•1	•1	$lackbox{0.5}{\bullet}_1$	●2	•2	$lackbox{1}$	●2	•ì	•2	●2	•1	. ●?
1	WILLOW GREEN, Metallic (Medium)	75	75	•	•	Щ		•	Black	●1	●1	$lackbox{1}$	$lackbox{1}$			$lackbox{lack}{lack}_1$	• 1	●1			 1
	POMPEII YELLOW	76	75	•					Black	•1	●1	•1	●1				lacksquare1	• 1	ļ		
SOLID	BUTTERNUT BEIGE, Metallic (Medium)	77	78	•	•				Black	•1	•1	•1	•1			•1	•1	•1			•1
12	BITTERSWEET ORANGE, Metallic	79	79	•	•			L	Black	●1	$lackbox{lack}{lack}_1$	$lackbox{1}$	•1			$lackbox{lack}{\bullet}_1$	$lackbox{lack}{lack}_1$	$lackbox{0.5}{1}$	ļ		•i
	BLACK MINK, Metallic	80	80		•		•	•	White	O 1	●1	•1	●2	$lackbox{0.5}{2}$	lacksquare1	lacksquare1	$lackbox{0.5}{\bullet}_1$	●2	lacksquare2	● 1	● 1

STRIPES

1. BLACK
2. WHITE
3. RED
4. BLUE METALLIC
5. GOLD METALLIC

ACCENT

ORANGE RED ORANGE RED SILVER METALLIC SILVER METALLIC WHITE

CODE

BKS WHS RES BUS GOS

OPTIONAL "LEVANT" GRAIN VINYL COVERED ROOF 1BLACK OR WHITE 2BLACK, WHITE OR BLUE (MEDIUM)

[†]Letter codes identify fabric with seat type.

**Recommended Rally Stripes are listed by stripe color and matching accent stripes below.

Where Rally Stripes are used paint stripes are omitted.

1969 JAVELIN **Comparative Dimensions** SPECIALITY AUTOMOBILES

	Jave _'69	lin '68		stang	Cou '69*	_		naro *'68	Barr '69*	acuda *'68
Wheelbase	109.0	109.0	108.0	108.0	111.1	111.0	108.0	108.0	108.0	108.0
Length	189.2	189.2	187.4	183.6	193.8	190.3	186.0	184.6	192.8	192.8
Width	71.9	71.9	71.3	70.9	74.2	71.3	74.0	72.3	69.6	71.6
Height	51.8	51.8	51.2	51.6	51.3	51.7	51.4	50.9	53.0	52.6
Front Overhang	39.7	39.7		35.1	36.5	35.1		36.6		35.2
Rear Overhang	40.5	40.5		40.5	46.1	44.1		40.0		49.6
Front Tread	57.9	57.9	58.5	58.5		58.5	59.6	59.6	57.5	57.4
Rear Tread	57.0	57.0	58.5	58,5		58.5	59.5	59.5	55.6	55.6
Turning Circle	36.9	36.9		37.6		38.1		39.9		37.8
Head Room, Front	37.5	37.5	37.4	37.4	37.4	37.3	37.6	37.0	37.2	37.4
Head Room, Rear	36.0	36.0	35.8	35.8	35.8	35.8	36.6	36.7	36.5	35.8
Leg Room, Front	42.7*	43.3	41.1	42.0	41.1	42.7	42.5	42.5	41.7	41.7
Leg Room, Rear	31.5	31.5	29.5	27.0	30.5	29.8	29.2	29.2	31.1	30.2
Total Leg Room	74.2	74.8	70.6	69.0	71.6	72.5	71.7	71.7	72.8	71.9
Hip Room, Front	57.6	57.6	55.6	54.0	56.8	54.2	56.3	56.3	57.1	57.1
Hip Room, Rear	56.4	56.4	51.3	50.8	52.4	53.4	54.6	54.6	57.2	57.2
Shoulder Room, Front	55.0	55.0	56.0	53.4	55.9	53.9	56.7	56.7	55.4	55.4
Shoulder Room, Rear	53.2	53.2	54 . 7	53.6	54.5	53.4	53.6	53.6	55.4	55.4
Usable Luggage Cap	10.2	10.2	9.8	9.3	10.2	9.2		8.2		15.2

^{*} Due to suspended accelerator pedal ** Anticipated dimensions

1969 Sporty-Speciality Competition

Mustang

- New (new in 1964)

Camaro

- Reskin (new in 1967)

Barracuda


- Minor Reskin (new in 1967)


Cougar

- New (with Mustang)

Firebird

- Reskin (with Camaro)















1969

RAMBLER

TABLE OF CONTENTS

		Page
N	ew Features	rage
-	Product Highlights	1
-	New Exterior and Interior Styling Features	2
-	New Chassis and Mechanical Features	2
-	New Optional Equipment and Optional Equipment Changes	2
-	Model and Series Availability	3
-	New Safety Features	3
1	969 Product	
-	Standard Safety Features	4,5
-	Series Features and Differentials	6-10
-	Retained Standard Features	11,12
-	Engine, Transmission and Rear Axle Availability	13
-	Tire Availability	14
_	Factory-Installed Options	15-17
-	Dealer-Installed Options and Accessories	18,19
-	Exterior Colors, Vinyl Roofs, Two-Tone Combinations and Interior Trim Selections	20-22
_	Dimensions	23-26
_	Competition	27

Product Highlights

The Rambler name will be given to the former American series of past years bringing to this line of cars all the tradition of quality and economy for which the Rambler name is famous. The name American will not be used with the series for 1969. The 1969 Rambler will continue to feature compact exterior dimensions with ample interior room and performance.

The 1969 Rambler will be identifiable with a new triangular shaped Red, White and Blue medallion mounted on the leading edge of the front hood and a new Red, White and Blue bar molding on the front fenders.

Progressive design improvements have been added as perfected and styling changes have been minimized to give this series a continuity in styling that makes it wondrously free from maintenance problems and depreciation expense. The Rambler is an excellently balanced vehicle with performance and economy, interior room and comfort, all pleasingly styled and agreeably priced.

The 1969 Rambler will incorporate the across the line chassis changes of parking lights on with headlights, new accelerator cable linkage and suspended accelerator pedal.

New Exterior Styling Features

NEW - triangle, tri-color hood ornament

NEW - exterior paint colors

NEW - tri-color bar molding on front fenders

New Interior Styling Features

NEW - additional trim color added to Rambler (base)

NEW - door trim panels with deeper dielectric pattern for more padded look

NEW - seat trim designs and cloth patterns

New Chassis And Mechanical Features

NEW - "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace

NEW - "Clear-Power 24" battery with transparent, light-weight polypropylene case

NEW - parking and headlights on together

NEW - suspended accelerator pedal and cable linkage

NEW - 55-amp alternator (replaces 40-amp) with "All-Season" air-conditioning option

New Optional Equipment

NEW - Cool-Air air-conditioning price package which includes factory "All-Season" air conditioning, power steering and solex glass (all windows) will be offered

Optional Equipment Changes

Turbo-Cast wheel covers and wire-wheel covers are dropped as a factory option, retained as a dealer option

Disc brakes are dropped, were V-8 only

Tachometer is dropped as a factory option, retained as a dealer option

290 CID, 200 HP engine is dropped on the Rambler (base); 3-speed manual transmission is dropped across the Rambler series on this engine

290 CID, 225 HP engine is available in the Rogue only

1969 RAMBLER Model Availability

Body Styles	Rambler (Base)	Rambler 440	Rambler Rogue	Total
2-Door Sedan	6906			1
4-Door Sedan	6905	6905-5		2
Station Wagon		6908-5		1
Hardtop			6909-7	1
Total	2	2	1	5

1968 Models Discontinued - None

1969 Models Added - None

1969 RAMBLER

New Safety Features

Redesigned radio push buttons for larger corner radii to reduce head impact hazard

Two front seat restraints become standard on January 1, 1969

"SAFE-COMMAND" Safety Features

(Standard unless otherwise noted)

Construction

Energy-absorbing front end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Molded ceilings
Padded instrument panel
Break-away front ash receivers
Recessed rear ash receiver
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double-safety brake system with self-adjusting feature
Brake system warning light
Mechanical stoplight switch
Corrosion-resistant brake lines and fittings
Safety-rim wheels
Tread-wear indicators molded into tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts

Rear shoulder-belt anchors, installed

Safety-seat and shoulder-belt anchorages

Safety-seat anchorages

Automatic lock with manual release for folding front seats on 2-door models

Folding rear-seat-back latches for wagons

Front seat headrests

Padded front seat back

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Locks and Door Handles

High-strength door locks
Safety-shaped interior door handles
Two key locking system

Accessories and Equipment

4-way hazard warning signals
Lane changer feature for turn signals
Safety vanity mirror (opt.)
Automatic back-up lights

Shift-command for automatic or manual operation on automatic transmission (opt.)

Day/Night inside rearview mirror with twin pivots and protected edges Rearview mirror, exterior, left side

Windshield washers - manual (electric opt.)

Non-glare windshield wipers

Vacuum power booster windshield wiper motors (electrical opt.)

Defrosters and defoggers


"Guard-Glo" head lamps

Parking lights illuminated with headlights


1969 Rambler

Series Features

Rambler (Base):



Interior:



New

• unique door trim panels with new deeper padded appearance • "Madison" seat cloth in two colors, charcoal & blue • optional "Basketweave" vinyl is of carryover design but is now offered in the above two colors

RAMBLER (Base) SERIES FEATURES:

Exterior:

Rambler nameplate on fenders and on deck lower opening panel
Bright windshield reveal molding
Bright rear window belt moldings
Bright hub caps
6 Exterior paint colors (5 NEW plus Frost White carryover) or one additional over 1968

Interior:

199 cu. in., 128 HP six-cylinder engine standard

NEW - unique door trim panels with new deeper padded appearance

Standard steering wheel with center horn button

Front armrests

Coat hooks

Dome light without door switches

Black rubber floor and trunk mats


Bright instrument moldings

Section 5 Page 8

1969 Rambler


Series Features

Rambler 440:



Interior:

Instrument Panel:



Door trim panel common with base except bright 440 nameplate

New

"Brigadier" pattern cloth seat trim

Optional "Basketweave" vinyl seat trim is carryover but with new seat designs

Series Differentials

Rambler 440 and Rogue Over Rambler (Base)

Exterior:

"440" or "Rogue" nameplates on front fenders to the rear of
the wheel opening
"440" nameplate on "C" pillar (NA on Rogue)
Bright body side molding
Bright rear window molding
Bright drip-rail moldings
Bright molding on lower deck opening panel or tailgate

Interior:


Custom steering wheel
Cigar lighter
Glove box lock
Bright instrument panel applique
Rambler nameplate on glove box
"440" or "Rogue" nameplates on door trim panels
NEW - 100% nylon cut-pile carpet
NEW - "Brigadier" pattern cloth seat trims
Rear armrests with ash receivers
Dome or "C" pillar lights with front door switches

1969 Rambler

Series Features

Wagons:

Rambler



- All standard 440 trim 6.95 x 14 4-ply rated tires standard All vinyl seat upholstery standard
- Custom steering wheel Optional front bumper guards

Retained Standard Features

Body:

All-welded, single-unit body construction (safe, strong, durable)
("Advanced Unit Construction")

Deep-Dip body rustproofing

Weather-Eye heater

Fresh air ventilation

Triple coated Lustre-Gard acrylic enamel in 11 colors (7 for basic models)

Molded cushioned ceiling

Curved side glass

Extruded aluminum grille

Front armrests

Front ash receiver

Rear ash receivers for 440 and Rogue

Full-width carpeting for 440 and Rogue (rubber for basic models, carpet with 4-speed transmission)

Coil-spring seat construction

Front seat foam cushion

Dome or side pillar lights

Glove box lock for 440 and Rogue

Two coat hooks

Mechanical:

Direct-action, independent coil-spring front suspension with sway bar on V-8's

Rear suspension with semi-elliptical leaf springs

Hypoid gear rear axle

Self-adjusting brakes with bonded linings

Brake diameter for Sixes 9"; lining area 153.8 square inches

Brake diameter for V-8's 10"; lining area 167.5 square inches

Standard 4-ply-rating, 2-ply tires; 6.45 x 14 on Sixes (except wagons), 6.95 x 14 on V-8's and Six wagons (see "Options")

Engine oil filter, full flow

Fuel filters in tank and at carburetor. New in-line filter just ahead of carburetor, was in fuel pump

Fuel-tank approximate capacity, 16 gallons

All-Season engine coolant

Anti-smog positive crankcase vent

"Engine-Mod" exhaust emission control system ("Air-Guard" on V-8's with manual transmission)

Automatic choke

RETAINED STANDARD FEATURES (cont.)

Electrical:

Dual horns for 440 and Rogue (one for basic model)

Standard 35-amp electronic alternator and sealed transistorized voltage regulator (NEW - 55-amp with air conditioning)

NEW - "Clear-Power 24" Intercell Battery (was Power-Guard); 50-amp standard, 70-amp optional. Name and type of battery changed but electrical characteristics retained

Single head lamps

1969 RAMBLER Engine, Transmission And Rear Axle Availability

Paring	m	Rea	Rear Axle**			
Engine	Transmission	Std.	Opt.*			
128 HP Torque-Command '6' 199 CID	3-Speed Manual (std.) 3-Speed Manual and Over-	3.08:1				
Standard Rambler and Rambler 440	drive (opt.) Shift-Command Automatic;	3.31:1				
Rambier 440	Column (opt.) Sedans, HT without AC With AC and Wagons	2.73:1 3.08:1	3.08:1 2.73:1			
145 HP Torque-Command '6' 232 CID, 1 Bbl.	3-Speed Manual (std.)	3.08:1	3.31:1			
Standard Rogue+ Optional - Rambler and 440	Shift-Command Automatic; Column (opt.)	3.08:1+	3.31:1+			
200 HP Typhoon V-8 290 CID, 2 Bbl.	Shift-Command Automatic; Column (opt.)	2.87:1	3.15:1			
Optional 440 and Rogue						
225 HP Typhoon V-8 290 CID, 4 Bbl.	4-Speed Manual; Floor (opt.)	3.54:1				
Optional Rogue						

^{*}Available at no extra cost

^{**}Also 3.73:1, 3.91:1, 4.10:1, 4.44:1, and 5.00:1 available as extra cost DEALER-INSTALLED options for V-8

⁺On Rogue with auto. trans. - 2.37:1 std. and 3.08:1 optional

Tire Availability

TIRE SIZES

TIRE SIZES	SIX CYL	INDER	V -	8
	Sedans & Hardtops	Station Wagons	Sedans & Hardtops	Station Wagons
6.45 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) Black	STD	NA	NA	NA
6.45 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) White	OPT	NA	NA	NA
6.95 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) Black	OPT	STD	STD	NA
6.95 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) White	OPT	OPT	ОРТ	NA
7.35 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) Black	NA	NA	ОРТ	STD
7.35 x 14, 4-Ply Rated 2 Ply Rayon (Or Vytacord) White	NA	NA	OPT	OPT

Symbols: E - Extra Cost NA - Not Available STD - Standard

1969 RAMBLER

Factory-Installed Options

Paint and Upholstery:	Code	Rambler (Base)	Rambler 440	Rambler Rogue
Two-Tone Paint Special Application of AM Colors (covers two-tone combinations not	-1-	E	E	E
offered, paint colors not offered in a given line)		E	E	E
All Vinyl Seat Upholstery (standard on station wagons)		E	E	E
All Vinyl Seat Upholstery for Individual Seat Only		E	NA	NA
Vinyl Covered Roof (hardtops only) - Black, Off-White		NA	NA	E
Engines:				
199 CID, 128 HP Torque Command	128	STD	STD	NA
232 CID, 145 HP Torque-Command Six 290 CID, 200 HP Typhoon V-8	1 45	E	E	STD
(2-barrel carburetor) 290 CID, 225 HP Typhoon V-8	200	NA	E	E
(4-barrel carburetor)	225	NA	NA	E
Dual Exhaust for 290 CID, 225 HP engine	DE	NA	NA	E
Performance Groups and Items:				
Twin-Grip Differential	TGD	E	E	E
Transmissions:				
Shift Command, Column Shift Six Cylinder and 290 CID, V-8 (not available with 225 HP engine)	A	E	E	E
4-Speed Full-Synchro, Close Ratio Floor			_	_
Shift (for V-8, 290 CID, 225 HP engine) Overdrive Column Shift (128 Only)	M O	NA E	NA NA	E NA
- · · · · · · · · · · · · · · · · · · ·	•		4444	1471

FACTORY-INSTALLED OPTIONS (cont.)

Power Assistan	Code	Rambler (Base)	Rambler 440	Rambler Rogue
Power Assists:				
Power Steering (recommended with air conditioning) Power Brakes	PS PB	E E	E E	E E
Seating Items:				
Individually Adjustable Reclining Seats	IS	E	E	E
Radios and Tape Equipment:				
AM Push Button Radio	RP	E	E	E
Appearance Items:				
Appearance Group (includes rocker- panel moldings and wheel discs) Custom Steering Wheel Sports Steering Wheel Wheel Discs Bumper Guards - Front and Rear (not	APG CR SSW WD	E	E STD E E	E STD E E
available on wagons) Bumper Guards - Front Only (wagons)	BGH BG2	E E	E E	E E
Heating and Air Conditioning:				
All-Season Air Conditioning (includes heavy-duty engine cooling system				
and 55-amp alternator) Solex Glass - Windshield Only Solex Glass - All Windows (recommended	AC SW	E E	E E	E E
with air conditioning)	SG	E	E	E
Convenience Groups and Items:				
*Visibility Group (includes remote- control left outside mirror, visor- vanity mirror, electric variable- speed windshield wipers and electric				
washers)	VG	E	E	E

^{*} Electric windshield wipers or visibility group must be ordered with V-8

FACTORY-INSTALLED OPTIONS (cont.)

	Code	Rambler (Base)	Rambler 440	Rambler Rogue
Convenience Groups and Items (cont.):				
*Electric Windshield Wipers Only	EW	E	E	E
Light Group (includes trunk or cargo light, two courtesy lights, glove box light, parking brake warning light, lights-on warning buzzer and front				
door switches for basic models)	LG	E	E	E
Roof Top Travel Rack (wagon only)	LGR	NA	E	NA
Heavy-Duty Equipment:				
Handling Package, Six Cylinder (includes front sway bar, heavy-duty springs and shocks)	, , , , , , , , , , , , , , , , , , , 	.	_	_
Handling Package, V-8 (includes heavy- duty sway bar, sway bar is standard on V-8's, heavy-duty springs and	HP	NA	E	E
shocks and 5-1/2" rim wheels) Heavy-Duty Cooling System (includes heavy-duty radiator, power-flex fan	HP	NA	E	E
and fan shroud)	HDC	E	E	E
Heavy-Duty 70-Amp Battery	HB	E	E	E
Heavy-Duty 70-Amp Battery and 55-Amp Alternator (for car less air				
conditioning)	4A7	E	E	E
Heavy-Duty Clutch with 3-Speed Trans-				
mission Only Six Cylinder	HC	E	E	E
Engine Block Heater	вн	E	E	E
Automatic Transmission Oil Cooler (standard with V-8; NA with 2.37:1				
axle ratio)	ATC	E	E	E
Miscellaneous:				
Insulation Group (includes under-				
coating and hood insulation)	ING	E	E	E

^{*} Electric windshield wipers or visibility group must be ordered with V-8

Dealer-Installed Accessories

Tissue Dispenser

Compass - Illuminated

Litter Basket and Tissue Dispenser

Window Ventshades (except hardtop)

Window Screens (pairs - front and rear door)

Child's Safety Vest

Rear Door Child Safety Locks

Spotlight

License Plate Frames

Spare Tire Covers

Load Levelers

Fuel Filter Mileage Minder - Extra Fuel Filtration

Luggage Straps - Pair

Luggage Carrier - Vinyl - All Station Wagons

Luggage Carrier - Vinyl - All Sedans (two sizes)

Ski Carrier - Top Mounted

AM Radios

Locking Gas Caps - All Models

Door Edge Guards (2 and 4 piece sets)

Visor-Vanity Mirror

Remote-Control Mirrors

Right Hand Rearview Mirrors

Engine Block Heaters - Six and V-8

Bumper Guards

Wheel Covers

Wire-Wheel Covers

Turbo-Cast Wheel Covers

Air-Conditioning Kits

Courtesy and Glove Box Light Kits

Parking Brake and Headlight Warning Buzzer Kits

Power Brake Kits

Rear Shoulder-Belt Kits

Trunk-Light Kit

Cold Intake Manifold Conversion Kit

Clock Kit

Torque-Link Kit

High-Performance Camshaft Kit

Air-Lift Air Spring

Dual Exhaust

Rear Traction Bars

DEALER-INSTALLED ACCESSORIES (cont.)

Special Ratio Rear Axle Gear Sets
Heat Blocker Manifold Gasket
Forged Connecting Rods
High-Riser Aluminum Manifold and Carburetor
Chrome Steel Mag Wheels

For other performance items, see

AM Performance Activities Manual

	1000	SER	IES		"A	AMBLER"		
_		TR	IM		CLOTH (Sto	d.)		. (Opt.) TWEAVE"
1	2 DOOR BENCH CUSHION—NON-RECLINING BACK (Std.) SEDAN INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK 4 DOOR BENCH CUSHION—NON-RECLINING BACK (Std.)	TR COL		BLUE "MADISON"	PARCHMENT "MADISON" AFTER APPROX. NOV. 1, '68	GREY & WHITE "SARATOGA" UP TO APPROX. NOV. 1, '68	BLUE	PARCHMENT
MODELS		"T" C	ODES	923	928	928	923	928
2 DOOR			†	Α	Α	Α	В	В
SEDAN	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BAC	K (Opt.)		С	С	С	D	D
4 DOOR				Α	Α	Α	В	В
SEDAN	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BAC	K (Opt.)		С	C	С	D	D
	EXTERIOR COLORS	BODY COLOR	WHEEL* COLOR					
	CASTILLIAN GRAY, Metallic (Medium)	63	80	•	•	•	•	•
		64	65	•	•	•	•	•
12 % Q	SURF GREEN, Metallic (Medium)	70	71		•	•		•
	FROST WHITE	72	80	•	•	•	•	•
0 57 F	BUTTERNUT BEIGE, Metallic (Medium)	77	78		•	•		•
		80	80	•	•	•	•	•
7		63 72	80	•	•	•	•	•
S PTION	CASTILLIAN GRAY, Metallic <i>(Medium)</i> BLACK MINK, Metallic	63 80	80	•	•	•	•	•
VERS TONE ST OI	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	64 72	65	•	•	•	•	•
N-RE WO-T	RANBLE SEAT, TRIM AND COLOR AVAILABILITY DELS SEAT TYPES AVAILABLE OOR BENCH CUSHION—NON-RECLINING BACK (Std.) INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK OOR BENCH CUSHION—NON-RECLINING BACK (Std.) INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK EXTERIOR COLORS CASTILLIAN GRAY, Metallic (Medium) BEALE ST. BLUE, Metallic (Medium) FROST WHITE BUTTERNUT BEIGE, Metallic (Medium) BLACK MINK, Metallic CASTILLIAN GRAY, Metallic (Medium) FROST WHITE CASTILLIAN GRAY, Metallic (Medium) FROST WHITE SURF GREEN, Metallic (Medium) FROST WHITE BUTTERNUT BEIGE, Metallic (Medium)	70 72	71		•	•		•
6 NO T XTRA		77 72	78		•	•		•
_ w	FROST WHITE	80 72	72		•	•		•

^{*}Wheel color matches body color on Canadian built cars.

†Letter codes identify fabric with seat type.

	1969	SER	IES			RA	MBLER	440		
	RAMBLER	TRI	М	CL(OTH (St	d.) :R"		VINYL BASKET (Std. on	WEAVE	
SEA	440 AT, TRIM AND COLOR AVAILABILITY	TRI COL		CHARCOAL	BLUE	GREEN	CHARCOAL	BLUE	GREEN	RED
MODELS	SEAT TYPES AVAILABLE	"T" C	ODES	941	943	944	941	943	944	94
4 DOOR	BENCH CUSHION-NON-RECLINING BACK (Std.)			_ A	Α	Α	В	В		В
	INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BA	ACK (Opt.)		С	С	С	D	D		
T. WAG.	BENCH CUSHION—NON-RECLINING BACK (Std.) INDIVIDUAL CUSHION—INDIVIDUAL RECLINING BACK	ACK (Ont.)					B	B	B	-
	EXTERIOR COLORS	BODY COLOR	WHEEL*		l		U	Ιυ		<u>i </u>
	MATADOR RED	39	39	•			•	Τ		
1	ASCOT GRAY, (Light)	62	80	•	•		•	•		
ŖŠ	CASTILLIAN GRAY, Metallic, (Medium)	63	80	•	•		•	•		
95	BEALE ST. BLUE, Metallic (Medium)	64	65	•	•		•	•		\vdash
SE	REGATTA BLUE, Metallic (Dark)	65 68	65	•	•		•	•		_
Q N I	ALAMOSA AQUA, Metallic (Medium) SURF GREEN, Metallic (Medium)	70	68 71	•		•	•		•	-
ST.	FROST WHITE	72	80	•	•			•		
	POMPEII YELLOW	76	75	•		•	•		•	
+	BUTTERNUT BEIGE, Metallic (Medium)	77	78	•			•			
	BLACK MINK, Metallic	80	80	•	•	•	•	•	•	
SIBLE	ASCOT GRAY (Light) CASTILLIAN GRAY, Metallic (Medium) BEALE ST. BLUE, Metallic (Medium)	62 63	80	•	•		•	•		
YO-T	REGATTA BLUE, Metallic (Dark) FROST WHITE	65	65	•	•		•	•		
E Z	BLACK MINK, Metallic	72	80	•	•	•	•	•	•	<u> </u>
	MATADOR RED BLACK MINK, Metallic ASCOT GRAY (Light)	80	39	•			•			'
	BLACK MINK, Metallic CASTILLIAN GRAY, Metallic (Medium)	63	80		•		•	•		-
SEAT, 1 A ODELS DOOR BENCH SED CASTIII BEALE BEALE BLACK ASCOT BLACK ASCOT BLACK ASCOT BLACK ASCOT BLACK BLACK ASCOT BLACK BLACK ASCOT BLACK BLACK BLACK ASCOT BLACK BLACK BLACK ASCOT BLACK BLACK BLACK ASCOT BLACK B	FROST WHITE CASTILLIAN GRAY, Metallic (Medium)	63	80	•	•		•	•		-
	BLACK MINK, Metallic BEALE ST. BLUE, Metallic (Medium)	80	80	_	•		•	•		-
NES	FROST WHITE BEALE ST. BLUE, Metallic (Medium)	72	65	•	•		•	•		\vdash
0-TC	BLACK MINK, Metallic REGATTA BLUE, Metallic (Dark)	80	65	•	•		•	•		-
E TW OPTI	ASCOT GRAY (Light) REGATTA BLUE, Metallic (Dark)	62	65	•	•		•	•		
SSIBL	BLACK MINK, Metallic ALAMOSA AQUA, Metallic (Medium)	68	65	•	•		•	•		_
RA C	FROST WHITE ALAMOSA AQUA, Metallic (Medium)	68 72	68 68	•						-
EXT	BLACK MINK, Metallic SURF GREEN, Metallic (Medium)	70 80	71	•		•			•	
16 N	FROST WHITE SURF GREEN, Metallic (Medium)	70 72	71	•			•		•	-
}	BLACK MINK, Metallic POMPEII YELLOW	76 72	75	•		•	•		•	
	FROST WHITE POMPEII YELLOW BLACK MINK, Metallic	76 80	75	•		•	•		•	
ŀ	BUTTERNUT BEIGE, Metallic (Medium) FROST WHITE	77 72	78	•			•			
Ī	BUTTERNUT BEIGE, Metallic (Medium) BLACK MINK, Metallic	77 80	78	•			•			

1969 RAMBLER		SER	IES	"ROGUE"						
		TR	IM	CLOTH (STD.) VINYL (0 "BRIGADIER" "BASKETW						
ROGUE SEAT, TRIM AND COLOR AVAILABILITY			IIM LOR	CHARCOAL	BLUE	GREEN	RED	CHARCOAL	BLUE	RED
MODELS	SEAT TYPES AVAILABLE	"T" C	ODES	941	943	944	945	941	943	945
2 DOOR HARDTOP	BENCH CUSHION—NON-RECLINING BACK	(STD.)	†	A	Α	A	A	В	В	В
"ROGUE"	INDIVIDUAL CUSHION—INDIVIDUAL RECLIN			С	С	С	С	D	D	D
	EXTERIOR COLORS	BODY COLOR	WHEEL							
	MATADOR RED	39	39	•			•	•		
,	_ASCOT GRAY, (Light) CASTILLIAN GRAY, Metallic, (Medium)	62 63	80 80		•		•		•	•
SOLID COLORS STANDARD	BEALE ST. BLUE, Metallic (Medium)	64	65	•	<u> </u>				•	Y
COL	REGATTA BLUE, Metallic (Dark)	65	65	•					•]
ANG	ALAMOSA AQUA, Metallic (Medium) SURF GREEN, Metallic (Medium)	68 70	68 71		+	•	-			
SOL	FROST WHITE	72	80	•	•	•	•	_ •	•	•
=	POMPEII YELLOW BUTTERNUT BEIGE, Metallic (Medium)	76	75 78	•		. • .		•		
	BLACK MINK, Metallic	80	80		•	•	•	•		•
3LE ES ON	ASCOT GRAY (Light)	62 63	80	•	•		•	•	•	•
REVERSIBLE WO-TONES .C. OPTION	CASTILLIAN GRAY, Metallic (Medium) BEALE ST. BLUE, Metallic (Medium)	64 65	65	•	•			•	•	
6 REVERSIBLE TWO-TONES E.C. OPTION	REGATTA BLUE, Metallic (Dark) FROST WHITE BLACK MINK, Metallic	80 72	80	•	•	•	•	•	•	•
	MATADOR RED	39 80	39	•			•	•		•
	BLACK MINK, Metallic ASCOT GRAY (Light) BLACK MINK, Metallic	62 80	80	•	•		•	•	•	•
i i	CASTILLIAN GRAY, Metallic (Medium) FROST WHITE	63 72	80	•	•		•	•	•	•
	CASTILLIAN GRAY, Metallic (Medium) BLACK MINK, Metallic	63 80	80	•	•		•	•	•	•
ES	BEALE ST. BLUE, Metallic (Medium) FROST WHITE	64 72	65	•	•			•	•	
NON-REVERSIBLE TWO-TONES EXTRA COST OPTION	BEALE ST. BLUE, Metallic (Medium) BLACK MINK, Metallic	64 80	65	•	•			•	•	
TWO	REGATTA BLUE, Metallic (Dark) ASCOT GRAY (Light)	65 62	65	•			ļ	•	•	ļ. , .
IBLE ST 0	REGATTA BLUE, Metallic (Dark) BLACK MINK, Metallic	65 80	65	•	•			•	•	
VERS	ALAMOSA AQUA, Metallic (Medium) FROST WHITE	68 72	68	•				•		-
N-RE	ALAMOSA AQUA, Metallic <i>(Medium)</i> BLACK MINK, Metallic	68 80	68	•				•		
	SURF GREEN, Metallic (Medium) FROST WHITE	70 72	71	•		•		•		
16	SURF GREEN, Metallic (Medium) BLACK MINK, Metallic	70 80	71	•	_	•		•		
	POMPEII YELLOW FROST WHITE	76 72	75	•		•		•		
	POMPEII YELLOW BLACK MINK, Metallic	76 80	75	•		•		•		
	BUTTERNUT BEIGE, Metallic (Medium) FROST WHITE	77 72	78	•	<u></u>			•		
	BUTTERNUT BEIGE, Metallic (Medium) BLACK MINK, Metallic	77 80	78	•				•		

1969 RAMBLER Comparative Dimensions COMPACT AUTOMOBILES

4-DR. SEDANS

Valiant Rambler Falcon Chevy II 169** 168 169 ** 168 169 ** 168 169** 168 Wheelbase 108.0 108.0 106.0 106.0 111.0 111.0 111.0 111.0 Length 181.0 181.0 188.4 188.4 184.3 184.5 189.3 189.4 Width 70.8 70.8 69.6 71.0 73.2 73.5 72.4 72.4 Height 54.2 53.7 54.2 54.5 54.9 55.0 53.9 55.3 Front Overhang 31.2 31.7 31.7 29.8 30.5 49.2 Rear Overhang 43.3 43.3 43.0 48.6 Front Tread 57.4 56.0 56.0 57.4 58.8 59.0 58.8 59.0 Rear Tread 55.6 55.0 55.0 55.6 58.5 58.5 58.9 58.9 Turning Circle 37.8 36.0 36.0 39.8 41.0 Head Room, Front 38.4 39.0 39.0 38.4 38.8 39.0 38.8 Head Room, Rear 37.3 36.6 36.6 38.8 37.5 37.2 37.3 41.7 Leg Room, Front 41.9* 42.0 42.4 42.5 41.6 41.7 Leg Room, Rear 34.5 35.0 35.0 34.5 33.8 34.0 35.3 76.2 Total Leg Room 76.9 77.0 76.2 76.2 76.5 76.9 57.2 Hip Room, Front 57.4 57.4 59.5 59.5 56.4 Hip Room, Rear 57.2 57.1 57.1 59.5 59.5 55.1 Shoulder Room, Front 55.4 54.8 54.8 55.4 58.0 58.0 56.7 Shoulder Room, Rear 55.4 54.8 54.8 58.0 58.0 56.2 55.4 14.5 Usable Luggage Cap. 12.0 12.0 12.2 12.4 12.5

^{*} Due to suspended accelerator pedal

^{**} Anticipated dimensions

1969 RAMBLER Comparative Dimensions COMPACT AUTOMOBILES 2-DR. SEDANS

	Ram	bler	F.	alcon	Chevy II	Va	liant		√W 500*
	169	168		+ '68	169 168	169+		169	'68
Wheelbase	106.0	106.0	111.0	111.0	111.0	108.0	108.0		94.5
Length	181.0	181.0		184.5	189.4	188.4	188.4		158.7
Width	70.8	70.8	73.2	73.0	72.4	69.6	71.0		61.0
Height	54.2	54.2	54.9	55.0	55.0	54.5	53.7		59.0
Front Overhang	31.7	31.7		30.5	29.8		31.2		
Rear Overhang	43.3	43.3		43.0	48.6		49.2		
Front Tread	56.0	56.0	58.8	58.8	59.0	57.4	57.4		51.6
Rear Tread	55.0	55.0	58.5	58.5	58.9	55.6	55.6		53.3
Turning Circle	36.0	36.0		39.8	41.0		37.8		36.0
Head Room, Front	39.0	39.0	38.8	39.0	37.6	38.4	38.4		39.0*
Head Room, Rear	36.6	36.6	38.8	37.5	36.6	37.3	37.3		33.5*
Leg Room, Front	41.9**	42.0	42.4	42.5	41.6	41.7	41.7		31.5*
Leg Room, Rear	35.0	35.0	33.8	34.0	32.6	34.5	34.5		36.5*
Total Leg Room	76.9	77.0	76.2	76.5	74.2	76.2	76.2		68.0*
Hip Room, Front	57.4	57.4	59.5	59.5	56.2		57.2		*
Hip Room, Rear	57.1	57.1	58.3	58.5	56.3		57.2		*
Shoulder Room, Front	54.8	54.8	58.0	58.0	56.9	55.4	55.4		46.0*
Shoulder Room, Rear	54.8	54.8	56.7	57.0	55.0	55.4	55.4		47.0*
Usable Luggage Cap.	12.0	12.0	12.2	12.5	12.4		14.5		

Figures obtained through use of AMA Procedures are as follow:

		<u>V W</u> 1 500
	169	168
Head Room, Front		38.3
Head Room, Rear		35.3
Leg Room, Front		40.3
Leg Room, Rear		
Total Leg Room		***
Hip Room, Front		38.6
Hip Room, Rear		35.3
Shoulder Room, Front		46.8
Shoulder Room, Rear		47.5

*VW Published figures

^{**} Due to suspended accelerator pedal

⁺Anticipated dimensions

Comparative Dimensions

COMPACT AUTOMOBILES 4-DR. WAGONS

	Ram '69	ble r '68	Falc '69**	alcon	
Wheelbase	106.0	106.0	113.0	113.0	
Length	181.0	181.0	198.7	198.7	
Width	70.8	70.8	73.2	74.5	
Height	55.2	55.2	56.4	56.0	
Front Overhang	31.7	31.7		30.5	
Rear Overhang	43.3	43.3		55.0	
Front Tread	56.0	56.0	58.8	58.8	
Rear Tread	55.0	55.0	58.5	58.5	
Turning Circle	36.0	36.0		41.0	
Head Room, Front	39.3	39.3	38.6	38.5	
Head Room, Rear	37.0	37.0	38.6	39.0	
Leg Room, Front	41.9*	42.0	42.4	42.0	
Leg Room, Rear	35.5	35.5	34.5	34.5	
Total Leg Room	77.4	77.5		76.5	
Hip Room, Front	57.4	57.4	59.5	59.5	
Hip Room, Rear	57.1	57.1	59.5	58.8	
Shoulder Room, Front	54.8	54.8	58.0	58.0	
Shoulder Room, Rear	54.8	54.8	58.0	57.5	
Usable Luggage Cap.	66.0	66.0	85.2	85.2	

^{*} Due to suspended accelerator pedal

^{**} Anticipated dimensions

Comparative Dimensions

COMPACT AUTOMOBILES 2-DR. HARDTOPS

	Rambler		
Wheelbase	106.0	106.0	
Length	181.0	181.0	
Width	70.8	70.8	
Height	53.4	53.4	
Front Overhang	31.7	31.7	
Rear Overhang	43.3	43.3	
Front Tread	56.0	56.0	
Rear Tread	55.0	55.0	
Turning Circle	36.0	36.0	
Head Room, Front	38.2	38.2	
Head Room, Rear	36.5	36.5	
Leg Room, Front	41.9*	42.0	
Leg Room, Rear	35.0	35.0	
Total Leg Room	76.9	77.0	
Hip Room, Front	57.4	57.4	
Hip Room, Rear	56.4	56.4	
Shoulder Room, Front	54.8	54.8	
Shoulder Room, Rear	54.2	54.2	
Usable Luggage Cap.	12.0	12.0	

^{*} Due to suspended accelerator pedal

1969

Compact

Competition

Chevy II - Trim and Ornamentation (new in 1968)

Falcon - Reskin (new in 1966)

Valiant - Trim and Ornamentation (new in 1967)

1969 GENERAL

TABLE OF CONTENTS

		Page
-	Corporate Model Availability	ı
•	General Chassis New Features and Changes	2,3
-	Standard "Safe-Command" Safety Features (which apply to all AM cars)	4,5
-	Retained Standard Features (which apply to all AM cars)	6,7
-	Approved Brand Names and Descriptive Terms	8-10
-	History of Past Product Changes	11-18

CORPORATE MODEL AVAILABILITY

			4-Door	<u> </u>	2-Door	
	2-Door	4-Door	Station	2-Door	Sports	
Model	Sedan	Sedan	Wagon	Hardtop	Coupe	TOTAL
l. Ambassador						
Base		6985-2				1
DPL		6985-5	6988-5	6989-5		3
SST		6985-7	6988-7	6989-7		<u>3</u>
Sub-Total	<u>o</u>	<u>3</u>	<u>2</u>	2	<u>o</u>	7_
2. Rebel						
Base		6915	6918	6919		3
SST		6915-7	6918-7	6919-7		<u>3</u>
Sub-Total	<u>o</u>	2	2	2	<u>0</u>	<u>6</u>
3. A M X	<u></u>				6939-7	1_
Sub-Total	<u>o</u>	<u>o</u>	<u>o</u>	<u>o</u>	1_	<u>1</u>
4. Javelin						
Base				6979-5		1
SST				6979-7		<u>1</u>
				_		
Sub-Total	<u>o</u>	<u>0</u>	<u>o</u>	2	<u>o</u>	<u>2</u>
5. Rambler						
Base	6906	6905				2
440		6905-5	6908-5			2
Rogue				6909-7		1
Sub-Total	1	2	<u>1</u>	1	<u>o</u>	<u>5</u>
TOTAL	<u> </u>	<u> </u>	<u>5</u>	<u>7</u>	<u> </u>	21

Total 1969 Models - 21 Total 1968 Models - 24

1969 Models Added - 3:	1. Ambassador SST 4-Dr. Wagon - 2 S	eat - 6988-7
	2. Rebel SST 4-Dr. Sedan	- 6915-7
	3. Rebel SST 4-Dr. Wagon - 2 Seat	- 6918-7
1968 Models Discontinued - 6:	1. Ambassador 2-Dr. Hardtop	- 6889-2
	2. Rebel 550 2-Dr. Convertible	- 6817
• •	3. Rebel 770 4-Dr. Sedan	- 6815-5
	4. Rebel 770 Station Wagon - 2 Seat	- 6818-5
	5. Rebel 770 2-Dr. Hardtop	- 6819-5
	6 Pahal SST 2-Dr Convertible	68177

1969

GENERAL

Chassis New Features & Changes

NEW Features:

- NEW suspended accelerator pedal and cable accelerator linkage in all series will provide a more uncluttered appearance and smoother operation
- NEW "Clear-Power 24" battery with translucent polypropylene case.

 Fluid level can be checked without removing the caps the "threein-one" caps continue. Also, battery is now slightly smaller and
 lighter weight. Electrical characteristics remain the same as in
 1968
- NEW- "Guard-Glo," the safer head lamp with a reserve filament that continues to glow when main filaments burn out. A safety feature that helps eliminate the "one-eyed" menace
- NEW parking lights remain on with head lamps
- NEW three additional fusible links, for a total of four, provide more protection for electrical components (main horn wiring, battery feed, accessory and ignition)
- NEW in-line fuel filter is put in gas line just in front of carburetor (old fuel pump filter is dropped)
- <u>NEW</u> crankshaft front seals of the Hydro-Dynamic type provide increased reliability
- NEW rear axle seals provide increased reliability
- NEW optional three-speed electric windshield wiper system replaces the variable system in Rebel and Ambassador series. Rambler, Javelin and AMX retain variable-electric wipers as optional
- NEW plastic door edge guards (in clear plastic and about 6" long) are standard for all series
- NEW the word "Safe-Command" will appear on the wide brake pedal of all models on which bright pedal trim is standard
- NEW aluminized exhaust system; Ceramic-Armored system is dropped.

 New single pipe system on Rebel and Ambassador V-8's is redesigned to increase the engine's ability to breath
- NEW positive acting linkage between key cylinder and lock mechanism on AMX, Javelin, Rebel and Ambassador front doors. This will be an early running change

1969 GENERAL

CHASSIS NEW FEATURES & CHANGES (cont.)

Changes:

- Four-speed floor transmission is dropped for 290 cu. in., 200 HP engines in all series and is dropped completely for Ambassador and Rebel
- Red-line wide oval tires (optional) all become fiberglass belted
 ("Polyglas" tires). AMX retains black-wall fiberglass-belted tires
 ("Polyglas" tires) as standard
- The bed feature of the individual reclining seats in the 4-door models of Rebel and Ambassador is no longer available. This feature is no longer available anywhere in the line

1969 AMERICAN MOTORS

"SAFE-COMMAND" Safety Features

(Standard unless otherwise noted)

These features apply to all American Motors cars.

Construction

Energy-absorbing front-end structural design
High-strength thick laminate windshield
Tempered safety glass, side and rear windows
Extra-strength door hinges
Molded ceilings
Padded instrument panel
Break-away front ash receivers
Recessed rear ash receiver
Padded sun visors
Non-glare finish on interior and exterior parts

Controls and Instruments

Energy-absorbing steering column
Deep-dish impact absorbing steering wheel
Safety-shaped instrument control knobs
Safety automatic transmission shift pattern
Safety-styled instrument panel layout

Brakes and Wheels

Double safety brake system with self-adjusting feature
Brake system warning light
Mechanical stoplight switch
Corrosion-resistant brake lines and fittings
Safety-rim wheels
Tread-wear indicators molded into tire tread

Seating and Seat Belts

Seat belts for all seating positions:

- a. Standard for all seating positions
- b. Two front seat belts retractable

Two front shoulder belts

Rear shoulder-belt anchors, installed

Safety - seat and shoulder-belt anchorages

Assembly look with manual release folding front seats on 2-door models

1969 AMERICAN MOTORS

"SAFE-COMMAND" SAFETY FEATURES (cont.)

Seating and Seat Belts (cont.)

Folding rear-seat-back latches for wagons Front seat headrests Padded front seat back

Locks and Door Handles

High-strength door locks
Safety-shaped interior door handles
Two key locking system

Accessories and Equipment

4-way hazard warning signals
Lane changer feature for turn signals
Back-up lights
Day/Nite inside rearview mirror with twin pivots and protected edges
Rearview mirror, exterior, left side
Windshield washers
Non-glare windshield wipers
Defrosters and defoggers
Side-of-Car safety markers, front and rear
"Guard-Glo" head lamps
Parking lights illuminated with headlights

General

The 1969 tape cartridge (included with the optional Stereo Tape Player) will include the safety message, "Is your seat belt fastened?" This message will appear between the second and third tracks only

1969 AMERICAN MOTORS

RETAINED STANDARD FEATURES

These features apply to all American Motors cars.

"Advanced Unit Construction" (exclusive uniside, sedans and wagons) (impact absorption, front end)

"Deep-Dip" Rustproofing

"Lustre-Gard" Acrylic Enamel (triple coats, backed-on final finish)

Molded-Cushioned Ceilings

Foam-Cushion Front Seat Pads

Curved-Glass Side Windows

Double-Safety Brake System with Self-Adjusting Brakes

Windshield Washers - Manual

Back-Up Lights

Ball-Bearing Ash Receivers

Space-Age Printed Instrument Panel Circuits

Tread-Wear Indicator Molded in Tire Tread

Deep-Coil Spring Front Suspension

Lubed-For-Life Upper Steering Knuckle Bearings

Lubed-For-Life Tie Rods

Electronic Alternator and Transistorized Voltage Regulator

All-Season Engine Coolant

Shift-Command Automatic Transmission (automatic or manual selector)-Optional

Automatic Transmission Self-Adjusting Front Band

Full-Pressure Engine Lubrication

1969 AMERICAN MOTORS RETAINED STANDARD FEATURES (cont.)

Full-Flow Engine Oil Filter

Automatic Choke

Anti-Smog Engine Emission Control

Wedge-Shaped Engine Combustion Chambers

Coolant Surrounded Engine Valve Seats and Cylinder Walls

Slim-Wall Cast Iron Engine Block Construction

Over-Square Bore Stroke Engine Design

On V-8's - Cast Malleable Iron, 5 Main Bearing Crankshaft

On V-8's - Hydraulic Valve Lifters

On V-8's - Automatic Transmission Oil Cooler

On V-8's - Thermostatically-Controlled Carburetor Air Cleaner

On 6's - 7 Main Bearing Crankshaft with 8 Counterweights

24,000-Mile Chassis Lubrication

APPROVED PRODUCT BRAND NAMES AND DESCRIPTIVE TERMS

Exterior

- "4-Way-Hazard" Warning Signals
- "High-Penetration" Strength Glass
- "Lustre-Gard" Acrylic Enamel
- "Scena-Ramic" Curved Glass Side Windows
- "Solex" Glass
- "Twin-Venturi" Grille

Interior

- "Cushioned-Acoustical" Headliner
- "Double-Safety-Pivot" Inside Rearview Mirror
- "Individually Adjustable Reclining" Seat
- "Molded" Ceilings
- "Swing-Pivoting" Front Seat Backs
- "Ventilair" Trimmed Seats

Chassis

- "Adjust-O-Tilt" Steering
- "AMX V-8" Engine
- "Air-Guard" Exhaust Emission Control
- "Anti-Smog" Engine Vent System
- "Autothermic" Steel Strut Reinforced Pistons (Typhoon only)
- "Clear-Power 24" Battery (new '69)
- "Conformatic" Steel Ring Reinforced Pistons
- "Double-Safety" Brake System
- "Electronic" Alternator System
- "Energy-Absorbing" Steering Column
- "Engine-Mod" Exhaust Emission Control System
- "4-Link" Trailing Arm Suspension
- "Guard-Glo" Head Lamps
- "Four-Coil-Spring" Suspension
- "Go" Package
- "Lubed-For-Life" Upper Steering Knuckle Bearing
- "Lubed-For-Life" Tie Rods
- "Matched-Flow" Cylinder Head and Manifold Design
- "Open-Prop" Drive
- "Power-Flex" Cooling System Fan
- "Power-Disc" Brakes
- "Quick-Ratio" Manual Steering
- "Road-Command" Front Suspension

APPROVED PRODUCT BRAND NAMES & DESCRIPTIVE TERMS (cont.)

Chassis (cont.)

- "Shift-Command" Automatic Transmission
- "Space-Age" Printed Circuits (Instrument Panel)
- "Torque-Command" '6'
- "Tread-Wear" Indicator (Tires)
- "Twin-Grip" Differential
- "Typhoon V-8"

Safety

- "Lane-Changer" Turn Signal Switch
- "Safety-Shaped" Door Armrests
- "Safety-Styled" Instrument Panel
- "Smooth-Contoured" Door Handles

General

- "Advanced Unit Construction"
- "Deep-Dip" Rustproofing
- "Flow-Thru" Fresh-Air Ventilation System
- "Non-Glare" Windshield Wipers
- "Power-Lift" Tailgate Window
- "Power-Lift" Windows
- "Pre-Set-Impulse" Front Door Locking System
- "Pull-Grip" Inside Door Handles
- "Pull-to-Open" Vent Windows
- "Roof-Top" Travel Rack
- "Space-Saver" Spare Tire
- "Uniside"

Accessories

- "All-Season" Air Conditioning
- "Child's Auto Safety" Vest
- "Command Air" Ventilation
- "Cruise-Command" Speed Control
- "Duo-Coustic" Rear Speaker
- "Deep-Dish" Steering Wheel
- "Rally-Pack" Dealer Performance Kit
- "Road-Control" Power Steering
- "Scissors-Action" Tire Jack
- "Sports" Steering Wheel
- "Turbo-Cast" Wheel Covers
- "Weather-Eye" Heating and Ventilating System

APPROVED PRODUCT BRAND NAMES & DESCRIPTIVE TERMS (cont.)

CAR CARE MATERIAL AND EQUIPMENT

-Car Care Material

AM "All-Season" Coolant
"Velv-Oil" Additive
"Sta-Tune"
"Radiator Kleen"

-Accessories and Equipment

"Litter" Basket

"Mileage-Minder" Gas Filter

"Child-Guard" Door Locks

HISTORY OF PRODUCT CHANGES

1968: Two all-new car lines added, Javelin and AMX, and one dropped, Marlin, for a total of 5 car lines with 24 models, two less than in 1967.

Convertibles dropped in Rambler American and Ambassador lines while a low-line convertible was added to the Rebel line. Low-line hardtops were added to Rebel and Ambassador series and a new Ambassador SST 4-door sedan introduced.

Series nomenclature modified to change low-line series identification to series name for Rambler and Ambassador. Mid-line series retain previous year names, but high-line models became Rogue for Rambler American and SST for all others.

All-new Javelin sporty 2-door hardtop introduced in series name and SST model both on 109" wheelbase.

Safety certification included on manufacturer nameplate.

Following safety oriented features introduced to meet or exceed Federal Safety Standards:

New side-of-car safety markers Seat belts for all seating locations Shoulder belts for two in front seat (except convertible) Rear shoulder-belt anchors Folding front seat position lock Safety-shaped door armrests Safety-styled interior door handles and control knobs Safety-padded and styled instrument panel Safety coat hooks Non-glare interior trim finish Inside rearview mirror with twin pivots, protected edges Outside rearview mirror relocated New door locks New mechanical stoplight switch New body structure changes for greater impact absorption Smooth contoured outside door handles (except American) New padded "A" pillars and roof side headers on Javelin and AMX

Frameless side window glass (Javelin and AMX).

New "flo-thru" fresh-air ventilation introduced (Javelin and AMX).

Air conditioning made standard on Ambassador series, a U.S.-built car exclusive.

1968: Shift-Command available with column shift.

All synchromesh 3-speed manual transmission with addition of synchronized first gear (except 199 CID engine).

"Go" package high-performance options offered for Javelin and AMX.

Shift-Command becomes available with self-adjusting front clutch band.

One-piece injection-molded instrument panel introduced on Javelin and AMX, an industry first.

Front suspension camber, caster, toe-in adjustments moved to lower control arm for easier accessibility.

Formed-wire seat construction used in Javelin and AMX.

New exclusive "Pre-Set-Impulse" front-door locking system introduced (all except American).

Three-in-one vent caps used on Power-Guard "24" Intercell battery.

Exhaust Emission Control required on all domestic cars. "Engine-Mod" system replaces "Air-Guard" air pump system on all engines but V-8's with manual transmission. "Engine-Mod" system incorporates thermostatically-controlled carburetor air cleaner.

September, 1967, American Motors establishes Performance Activities Department to enter competitive performance competition.

Rambler American Rogue wins class in Pure Oil Endurance Competition.

Javelin Quick-Ratio fast steering option offered.

AMX two-seat sports coupe introduced on a 97" wheelbase with V-8 engine and high-performance equipment standard (1968-1/2).

AMX first in industry to have fiberglass-belted polyester tires (Goodyear trade name Polyglas) standard (1968-1/2).

AMX V-8, 390 cubic inch engine introduced as high-performance option (Javelin and AMX) (1968-1/2).

AMX establishes 106 American National and International speed and endurance records (1968-1/2).

"Space-Saver" collapsible spare tire standard on AMX, optional on Javelin (1968-1/2).

1967: All-new product for Rambler Rebel (was called Rambler "Classic"). . . Wheelbase increased from 112" to 114", length from 195" to 197" (197" wagons).

All-new product for Ambassador...
Wheelbase increased from 116" to 118", length from 200" to 202.5"
(203" wagons).

All-new product for Marlin . . . Wheelbase increased from 112" to 118", length from 195" to 201.5".

Hardtop-styled 2-Door Sports Sedan for Rebel and Ambassador.

Rebel and Ambassador convertibles have 6-passenger room, fast roof line.

More interior room for passengers and cargo in Rebel, Ambassador and Marlin.

Rambler American basically same with minor refinements.

343 CID V-8 for all models.

Rebel and Ambassador 3-seat wagons have spare tire.

High-back bucket seats available for top-line models.

8-Track Stereo Tape Player Option (except American).

Wide-Profile, Red-Line, Hi-Performance Tires, V-8 option (except wagons).

Simulated wood-grain "sports" steering wheel option.

5-Year/50,000-Mile Warranty.

Numerous safety features added for all cars:

Warning Light for Double-Safety Brake System

Retractable Front-Seat Belts, Rear-Seat Belts...Shoulder-Belt Anchors
4-Way Hazard Warning Signals...Lane-Changer Turn Signals

Energy-Absorbing Safety Steering Column...3-Spoke 16" Wheel
Double-Pivot, Day/Night Inside Mirror...Tread-Wear Indicator for Tires

Dual exhaust system option for 343 V-8's (Rebel, Ambassador & Marlin)(1967-1/2)

Side-panel two tones for Rebel 770 and Ambassador 990 wagons (1967-1/2).

Limited-Edition "Westerner, Mariner and Briarcliff" Rebel Wagons (1967-1/2).

Hi-Performance Kits available through dealers (1967-1/2).

1966: All-new styling with longer length (177" to 181") for American.

All-new hardtop roof styling for Classic and Ambassador.

All-new wagon roof and tailgate for Classic and Ambassador (and longer length).

Rogue, Rebel and DPL for top-line hardtops.

Torque-Command "199" standard on all Americans.

Torque-Command "232" standard on all Classics.

Flexible-Glass Rear Window for Classic and Ambassador convertible.

Power-Top made standard on American.

Cruise-Command auto. speed control (optional, except American).

4-Speed Transmission for V-8's (optional), console shift (Twin-Stick cancelled).

"Safety Package" made standard.

"Air-Guard" System for California cars (optional).

Self-Adjusting Clutch for 6's (except American).

"Handling Package," optional for American and Classic 6.

Micro-Poise Wheel Balancing.

4-Way Hazard Warning Signals (optional).

Lower-priced Marlin with major equipment changes.

Improved pricing structure with elimination of 330 and 660 models.

Vinyl-Covered Roof optional for Marlin (was hardtops only).

All-new TYPHOON 290 V-8 engine introduced for Rambler American (1966-1/2).

4-Speed Floor Shift for American V-8 (1966-1/2).

1965: All-new Classic with new styling and longer length (190" to 195").

All-new Ambassador with new styling, longer wheelbase (112" to 116") and longer length (190" to 200"). Distinctive look over Classic.

All-new Convertible added to Classic and Ambassador.

All-new Marlin fastback introduced as 1965-1/2 model.

Torque-Command 6 standard on all Classics and Ambassadors.

Torque-Command 6 (232) optional and American.

Power-Disc Brakes (optional, except American) (standard on Marlin).

Shift-Command for 6's (was V-8 only, optional).

Vinyl-Covered Roof for all hardtops as 1965-1/2 option.

"Lustre-Gard" acrylic enamel for all colors (was four colors only).

7-Position Reclining Seat (optional, standard on "H").

Alternator made standard on American (was Classic and Ambassador only).

Extruded Aluminum Grilles for all models.

Ball-Bearing Ash Trays for all models (intro. on 1964, American).

1,000-Mile Inspection Eliminated, initial oil change now 4,000 miles.

New \$42-million plant in full operation building new Torque-Command 6's (1964-1/2 intro.) and rear axles.

Heater made standard equipment.

1964: All-new car and styling on longer wheelbase (100" to 106") for American.

6-Passenger Room for American (drop 2-dr. wagon).

Curved Side Glass for American.

All-new hardtop for Classic and Ambassador.

All-new "Torque-Command 6" introduced in 1964-1/2 on new Classic "Typhoon" Hardtop.

Shift-Command Transmission (option for V-8's).

One-Piece Uniside for American (was Classic and Ambassador only).

Acrylic Enamel introduced in four colors.

Front Suspension for American.

32,000 (or 3-year) Chassis Lubrication for American (was Classic and Ambassador only).

Power Steering System (optional).

Cast-Iron '6 made standard on Classic (alum-'6 cancelled).

Alternator made standard on Classic 6 (was V-8 only and A.C.).

AM/FM Radio for Classic and Ambassador (optional).

Adjust-O-Tilt Steering Wheel for Classic and Ambassador (optional).

Front-Seat Belts, standard January 1, 1964 (Retractable Belts optional).

Four Convertible Top Colors for American (was only two).

1963: "24-24" New Car Warranty.

All-new car and styling on longer wheelbase (108" to 112" for Classic and Ambassador).

Minor styling changes for American.

All-new hardtop for American.

Laminated "Foam-n-Fiber" Ceiling for American Hardtop.

All-new model identification (220 up to 990).

Curved Side Glass for Classic and Ambassador.

287 Cu. In. V-8 for 1963-1/2 Classic.

One-Piece Uniside for Classic and Ambassador.

Twin-Stick Floor Shift (optional).

E-Stick Transmission, new option for Classic (was American only).

Lever control for automatic transmission replaces push buttons on Classic and Ambassador.

Alternator made standard on V-8's (& A.C. 6's).

More cargo room for Classic-Ambassador wagons.

More trunk room for Classic-Ambassador sedans.

1958: Classic and Ambassador are all new cars.

100" Wheelbase American 2-Door Sedan introduced.

"327" V-8 for Ambassador (1957-1/2 Rebel and Ambassador).

"250" V-8 for Classic (1966-1/2 intro.).

Deep-Dip Rustproofing.

Borg-Warner "Flash-O-Matic" automatic replaces Hydra-Matic (1957-1/2).

Twin-Grip Differential optional for V-8's.

1959: Minor styling changes for Classic and Ambassador.

2-Door Wagon added to American line.

Individually-Adjustable Seats (optional).

Headrests (optional).

Air-Coil Ride Suspension, Class and Ambassador (optional, 1959-1/2).

1960: Major styling changes for Classic and Ambassador.

4-Door Sedan added to American line.

American "Custom" model added with OHV engine (1960-1/2).

Side-Hinged Tailgate, Classic and Ambassador 3-seat wagon.

3-rd. Seat Option, Classic and Ambassador.

Bonded Brake Linings.

Twin-Grip Differential optional for 6's (was V-8 only).

1961: Minor styling changes for Classic and Ambassador.

American gets all-new styling on outer-skin.

Convertible and 4-Door Wagon added to American line.

"Custom 400" models for Classic, Ambassador, American (1961-1/2).

Wide Bucket Seats for "Custom 400" models (1961-1/2).

Ceramic-Armored Exhaust System.

Molded Ceilings, Classic and Ambassador.

Lock-O-Matic Door Locks, Classic and Ambassador (optional).

1962: Major styling changes for Classic and Ambassador (both 108" wheelbase).

2-Door Sedan added to Classic and Ambassador.

Minor styling changes for American.

32,000 (or 3-year) Chassis Lubrication on Classic and Ambassador.

Double-Safety Brake System on all models.

Adjusting Brakes on all models.

www.eff Strel Rocker Panels.

at (100% option).

better battery on all models.

is vootional).

mergred model for 6's).

extension for American).

				•	e e	
		.4				
	• :					
						;
-						
						14
,						
			•			
-	•			•		1
					-	
	Constant Constant					Start of Start

